

Accessory Pathways

Effect of Conduction Mode and Location on Electrophysiologic Characteristics of Accessory Pathways, 1250

Acetylcholine

Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235

Acquired Immune Deficiency Syndrome. See HIV/AIDS Infected Patients**ACTION Trial**

Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatid* or *Tirofiban* (The ACTION TRIAL), 1295

Acute Coronary Syndromes

Characterization of Myocardial Infarction as an End Point in Two Large Trials of Acute Coronary Syndromes, 1404

Comparison of Clinical Presentation of Acute Myocarditis Following Smallpox Vaccination to Acute Coronary Syndromes in Patients <40 Years of Age, 1252

Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355

Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290

Effect of Both Elevated Troponin-I and Peripheral White Blood Cell Count on Prognosis in Patients With Suspected Myocardial Injury, 970

Fate of Unprotected Side Branches as Related to Embolic Complications During Stent Implantation for Acute Coronary Syndromes Using a Distal Protection Procedure, 636

Predictors of Left Main or Three-Vessel Disease in Patients Who Have Acute Coronary Syndromes With Non-ST-Segment Elevation, 1366

Relation of CD39 to Plaque Instability and Thrombus Formation in Directional Atherectomy Specimens from Patients With Stable and Unstable Angina Pectoris, 632

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

Usefulness of Chest Pain Character and Location as Diagnostic Indicators of an Acute Coronary Syndrome, 1228

Adenosine

Direct Demonstration by Transthoracic Doppler Echocardiography of Adenosine-Induced Coronary Steal in the Collateral-Dependent Vessel, 1363

ADP Receptor

Aspirin Resistance and a Single Gene, 805

Adrenergic Beta-Antagonist

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

AFFIRM Study

Influence of the Randomized Trials, AFFIRM and RACE, on the Management of Atrial Fibrillation in Two University Medical Centers, 1248

Use of *Amiodarone* for Atrial Fibrillation in Patients With Preexisting Pulmonary Disease in the AFFIRM Study, 404

African-Americans

Predictors of Low-Density Lipoprotein Particle Size in a High-Risk African-American Population, 1320

Relation of Aortic Valve Sclerosis to Risk of Coronary Heart Disease in African-Americans, 401

Age. See also Elderly

Effect of Light-to-Moderate Alcohol Consumption on Age-Associated Arterial Stiffening, 1006

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmittal Early Peak Velocity to E' (E/E'), 1020

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylene-tetrahydrofolate Reductase Genotypes, 1420

AIDS. See HIV/AIDS Infected Patients**Albumin**

Effect of Serum Albumin on QRS Wave Amplitude in Patients Free of Heart Disease, 789

Alcohol

Effect of Light-to-Moderate Alcohol Consumption on Age-Associated Arterial Stiffening, 1006

Aldosterone

Effects of *Aldosterone* on Forearm Vasculature in Treated Chronic Heart Failure, 412

Ambulatory Monitoring

Comparison of Autotriggered Memory Loop Recorders Versus Standard Loop Recorders Versus 24-Hour Holter Monitors for Arrhythmia Detection, 1055

Amiodarone

Use of *Amiodarone* for Atrial Fibrillation in Patients With Preexisting Pulmonary Disease in the AFFIRM Study, 404

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Amplazter Closure

Effect on Right Ventricular Volume of Percutaneous Amplazter Closure of Atrial Septal Defect in Adults, 993

Amyloidosis

Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538

Electrocardiographic Findings in Primary Systemic Amyloidosis and Biopsy-Proven Cardiac Involvement, 535

Anemia

Association of Anemia With Diastolic Dysfunction Among Patients With Coronary Artery Disease in the Heart and Soul Study, 332

Relation of Anemia to Low Heart Rate Variability in Patients With Coronary Heart Disease (from the Heart and Soul Study), 1474

Aneurysmectomy

Relation of Aneurysmectomy in Patients With Advanced Left Ventricular Remodeling to Postoperative Left Ventricular Filling Pressure, Redilatation With Ischemic Mitral Regurgitation, 517

Angina Pectoris. See also Chest Pain; Coronary Artery Disease

Antianginal Efficacy of *Omapatrilat* in Patients With Chronic Angina Pectoris, 1283

Association of Endothelin-1 With Transient Myocardial Ischemia in Patients With Unstable Angina Pectoris, 492

Cardiac Multidetector-Row Computed Tomography in Patients With Unstable Angina, 457

Comparative Efficacy of *Ranolazine* Versus *Atenolol* for Chronic Angina Pectoris, 311

Comparison of the Cardioprotective Effect of Prodromal Angina Pectoris and Collateral Circulation in Patients With a First Anterior Wall Acute Myocardial Infarction, 622

Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502

Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235

Frequency and Efficacy of Repeat Enhanced External Counterpulsation for Stable Angina Pectoris (from the International EECOP Patient Registry), 394

Lipid Management in Patients With Unstable Angina Pectoris and Non-ST-Segment Elevation Acute Myocardial Infarction (from CRUSADE), 483

Meta-Analysis of Survival and Relief of Angina Pectoris After Transmyocardial Revascularization, 1243

Plasma Asymmetric *Dimethylarginine* Concentrations in Newly Diagnosed Patients With Acute Myocardial Infarction or Unstable Angina Pectoris During Two Weeks of Medical Treatment, 729

Relation of CD39 to Plaque Instability and Thrombus Formation in Directional Atherectomy Specimens from Patients With Stable and Unstable Angina Pectoris, 632

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

Angiogenesis

Longevity of the Placebo Effect in the Therapeutic Angiogenesis and Laser Myocardial Revascularization Trials in Patients With Coronary Heart Disease, 1456

Angiography

Computed Tomographic Angiography Coming of Age, 839

Relation of Progression of Coronary Artery Atherosclerosis to Risk of Cardiovascular Events (from the Monitored Atherosclerosis Regression Study), 1277

Angiomax

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Angioplasty. See also Percutaneous Coronary Intervention

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

Incidence and Predictors of Target Vessel Revascularization and Clinical Events Rates of the Sirolimus-Eluting Coronary Stent (Results from the Prospective Multicenter German Cypher Stent Registry), 1302

Long-Term Benefits of *Monteplase* Before Coronary Angioplasty in Acute Myocardial Infarction, 506

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

A Novel Mechanism Explaining Early Lumen Loss Following Balloon Angioplasty for the Treatment of In-Stent Restenosis, 751

Outcomes Following Elective Percutaneous Coronary Intervention Without On-Site Surgical Backup in a Community Hospital, 1091

Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343

Relation of Interhospital Delay and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Transferred for Primary Coronary Angioplasty, 1361

Relation of the Use of Lipid-Lowering Medications Prior to Percutaneous Coronary Intervention to the Incidence of Intra-procedural Adverse Angiographic Events, 978

Safety of Coronary Stenting With *Eptifibatide* and Ultra-Low-Dose *Heparin*, 630

Ankle-Brachial Index

Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005

Antiarrhythmics

Relation of Initial Resting Ventricular Rate to the Ability to Achieve and Maintain Normal Sinus Rhythm in Patients With Atrial Fibrillation, 597

Time Frequency Analysis of the Surface Electrocardiogram for Monitoring Antiarrhythmic Drug Effects in Atrial Fibrillation, 526

Anticoagulation

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Antiplatelet Agents

Incidence of Antiplatelet Factor 4/*Heparin* Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Antiretroviral Therapy

Impact of Dyslipidemia Associated With Highly Active Antiretroviral Therapy (HAART) on Cardiovascular Risk and Life Expectancy, 586

Antithrombin Agents

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Aortic Dilatation

Usefulness of *Enalapril* Versus *Propranolol* or *Atenolol* for Prevention of Aortic Dilatation in Patients With the Marfan Syndrome, 1125

Aortic Regurgitation. See also Regurgitant Fraction

Factors Related to Aortic Regurgitation in the Presence of a Dilated Aortic Root, 417

Aortic Root

Factors Related to Aortic Regurgitation in the Presence of a Dilated Aortic Root, 417

Aortic Stenosis

Physical Determinants of Systolic Murmur Intensity in Aortic Stenosis, 775

Usefulness of a New Sound Spectral Averaging Technique to Distinguish an Innocent Systolic Murmur from That of Aortic Stenosis, 902

Usefulness of Serial Measurement of N-Terminal Pro-Brain Natriuretic Peptide Plasma Levels in Asymptomatic Patients With Aortic Stenosis to Predict Symptomatic Deterioration, 898

Aortic Stiffness

Comparison of Aortic Stiffness in Patients With Juvenile Forms of Ascending Aortic Dilatation With Versus Without Marfan's Syndrome, 996

Aortic Valve Calcium

Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005

Aortic Valve Sclerosis

Relation of Aortic Valve Sclerosis to Risk of Coronary Heart Disease in African-Americans, 401

Aortocoronary Saphenous Vein

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

Apheresis

Effect of Low-Density Lipoprotein Apheresis on Lipoprotein-Associated Phospholipase A₂, 1246

Apoptotic Endothelial Microparticles

Correlation Between Apoptotic Endothelial Microparticles and Serum Interleukin 6 and C-Reactive Protein in Healthy Men, 1258

Arrhythmias

Anatomic Substrate, Procedural Results, and Clinical Outcome of Ultrasound-Guided Left Atrial-Pulmonary Vein Dissection for Treatment of Atrial Fibrillation, 871

Comparison of Autotriggered Memory Loop Recorders Versus Standard Loop Recorders Versus 24-Hour Holter Monitors for Arrhythmia Detection, 1055

Comparison of Low-Mechanical Index Pulse Sequence Schemes for Detecting Myocardial Perfusion Abnormalities During Vasodilator Stress Echocardiography, 565

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1431

Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593

Effect of Statin Therapy on Risk of Ventricular Arrhythmia Among Patients With Coronary Artery Disease and an Implantable Cardioverter-Defibrillator, 490

Electrophysiologic Characteristics of *Verapamil*-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

First Experience With a Mobile Cardiac Outpatient Telemetry (MCOT) System for the Diagnosis and Management of Cardiac Arrhythmia, 879

Predictors of Lack of Response to Resynchronization Therapy, 1436

Prevalence of T-Wave Inversion Beyond V₁ in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070

Relation of Elevated C-Reactive Protein and Interleukin-6 Levels to Left Atrial Size and Duration of Episodes in Patients With Atrial Fibrillation, 764

Relation of Initial Resting Ventricular Rate to the Ability to Achieve and Maintain Normal Sinus Rhythm in Patients With Atrial Fibrillation, 597

Relation of Interleukin-6 Levels and Prothrombin Fragment 1+2 to a Point-Based Score for Stroke Risk in Atrial Fibrillation, 881

Time Frequency Analysis of the Surface Electrocardiogram for Monitoring Antiarrhythmic Drug Effects in Atrial Fibrillation, 526

Tissue Tracking Imaging as a New Modality for Identifying the Origin of Idiopathic Ventricular Arrhythmias, 660

Use of *Amiodarone* for Atrial Fibrillation in Patients With Preexisting Pulmonary Disease in the AFFIRM Study, 404

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Arrhythmogenic Right Ventricular Cardiomyopathy. See Cardiomyopathy

Arrhythmogenic Right Ventricular Dysplasia. See Dysplasia

Arterial Stiffness

Effect of Light-to-Moderate Alcohol Consumption on Age-Associated Arterial Stiffening, 1006

Arteriosclerosis. See also Atherosclerosis

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

Effect of Light-to-Moderate Alcohol Consumption on Age-Associated Arterial Stiffening, 1006

ARTS Trial

Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439

Aspirin

Analysis of Risk of Bleeding Complications After Different Doses of *Aspirin* in 192,036 Patients Enrolled in 31 Randomized Controlled Trials, 1218

Aspirin Resistance and a Single Gene, 805

Compliance as a Critical Consideration in Patients Who Appear to Be Resistant to Aspirin After Healing of Myocardial Infarction, 973

Rapid Desensitization Procedure for Patients With *Aspirin* Hypersensitivity Undergoing Coronary Stenting, 509

Atenolol

Comparative Efficacy of *Ranolazine* Versus *Atenolol* for Chronic Angina Pectoris, 311

Usefulness of *Enalapril* Versus *Propranolol* or *Atenolol* for Prevention of Aortic Dilation in Patients With the Marfan Syndrome, 1125

Atherectomy

Relation of CD39 to Plaque Instability and Thrombus Formation in Directional Atherectomy Specimens from Patients With Stable and Unstable Angina Pectoris, 632

Atherogenic Lipids

Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187

Atherosclerosis. See also Arteriosclerosis; Plaque

Depressive Symptoms Are Interdependently Predictive of Carotid Atherosclerosis, 547

Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290

Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085

Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445

Prevalence of Valve Calcium and Association of Valve Calcium With Coronary Artery Disease, Atherosclerotic Vascular Disease, and All-Cause Mortality in 137 Patients Undergoing Hemodialysis for Chronic Renal Failure, 742

Relation of Basal Coronary Nitric Oxide Activity to the Burden of Atherosclerosis, 1170

Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005

Relation of Progression of Coronary Artery Atherosclerosis to Risk of Cardiovascular Events (from the Monitored Atherosclerosis Regression Study), 1277

Relation of the Metabolic Syndrome to Calcified Atherosclerotic Plaque in the Coronary Arteries and Aorta, 1180

Atorvastatin

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With Coronary Heart Disease Versus Control Subjects, 1025

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Atrial Fibrillation

Anatomic Substrate, Procedural Results, and Clinical Outcome of Ultrasound-Guided Left Atrial-Pulmonary Vein Dissection for Treatment of Atrial Fibrillation, 871

Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593

Influence of the Randomized Trials, AFFIRM and RACE, on the Management of Atrial Fibrillation in Two University Medical Centers, 1248

Relation of Elevated C-Reactive Protein and Interleukin-6 Levels to Left Atrial Size and Duration of Episodes in Patients With Atrial Fibrillation, 764

Relation of Initial Resting Ventricular Rate to the Ability to Achieve and Maintain Normal Sinus Rhythm in Patients With Atrial Fibrillation, 597

Relation of Interleukin-6 Levels and Prothrombin Fragment 1+2 to a Point-Based Score for Stroke Risk in Atrial Fibrillation, 881

Time Frequency Analysis of the Surface Electrocardiogram for Monitoring Antiarrhythmic Drug Effects in Atrial Fibrillation, 526

Use of *Amiodarone* for Atrial Fibrillation in Patients With Preexisting Pulmonary Disease in the AFFIRM Study, 404

Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941

Usefulness of Plasma B-Type Natriuretic Peptide in Predicting Recurrence of Atrial Fibrillation One Year After External Cardioversion, 1380

Atrial Hemodynamic

Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941

Atrial Septal Defect

Effect of Acute Changes in Load on Left Ventricular Diastolic Function During Device Closure of Atrial Septal Defects, 686

Effect on Right Ventricular Volume of Percutaneous Amplatzer Closure of Atrial Septal Defect in Adults, 993

Atrial Switch

Catheter Management of Occluded Superior Baffle After Atrial Switch Procedures for Transposition of Great Vessels, 782

Atrioventricular Annulus

Electrophysiologic Characteristics of *Verapamil*-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

Atrioventricular Nodal Reentrant Tachycardia

Differentiating Atrioventricular Nodal Reentrant Tachycardia from Tachycardia Via Concealed Accessory Pathway, 875

Atrioventricular Septal Defect

Echocardiographic Differentiation of Atrioventricular Septal Defects from Inlet Ventricular Septal Defects and Mitral Valve Clefts, 607

AVID Trial

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1431

Balloon Mitral Commissurotomy

Feasibility, Safety, and Morphologic Predictors of Outcome of Repeat Percutaneous Balloon Mitral Commissurotomy, 989

Balloon Mitral Valvotomy

Long-Term Outcome of Patients Undergoing Balloon Mitral Valvotomy in Pregnancy, 1504

Baroreflex Sensitivity

Relation Between Actual Heart Rate and Autonomic Effects of Beta Blockade in Healthy Men, 999

Beta-Adrenergic Receptors

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor-Alpha Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Beta-Blockade

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Relation Between Actual Heart Rate and Autonomic Effects of Beta Blockade in Healthy Men, 999

Beta-Blockers

Do Elderly Systolic Heart Failure Patients Benefit from Beta Blockers to the Same Extent as the Non-Eld-

erly? Meta-Analysis of >12,000 Patients in Large-Scale Clinical Trials, 896

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558

Use of Cardiac Resynchronization Therapy to Optimize Beta-Blocker Therapy in Patients With Heart Failure and Prolonged QRS Duration, 889

Bifurcational Lesions

In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757

Bioprosthesis

Severe Regurgitation Immediately After Replacement of a Dysfunctional Bioprosthesis in the Mitral Valve Position, 703

Biopsy

Electrocardiographic Findings in Primary Systemic Amyloidosis and Biopsy-Proven Cardiac Involvement, 535

Bivalirudin

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Effectiveness and Safety of *Bivalirudin* During Percutaneous Coronary Intervention in a Single Medical Center, 716

Inhibition of Platelet Aggregation With *Eptifibatid*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Bleeding Complications

Analysis of Risk of Bleeding Complications After Different Doses of *Aspirin* in 192,036 Patients Enrolled in 31 Randomized Controlled Trials, 1218

Blood Flow

Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235

Blood Pressure. See Hemodynamics; Hypertension

BMI. See Body Mass Index

Body Mass Index. See also Obesity

Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

Bogalusa Heart Study

Impact of Multiple Cardiovascular Risk Factors on Femoral Artery Intima-Media Thickness in Asymp-

tomatic Young Adults (The Bogalusa Heart Study), 469

Bowditch Treppe

Usefulness of Latent Left Ventricular Dysfunction Assessed by Bowditch Treppe to Predict Stress-Induced Pulmonary Hypertension in Minimally Symptomatic Severe Mitral Regurgitation Secondary to Mitral Valve Prolapse, 414

Brachial Artery

Brachial Artery Flow-Mediated Dilatation and Myocardial Perfusion in Patients With Cardiac Syndrome X, 1478

Effect of Hyperhomocysteinemia Induced by *Methionine* Administration on Flow-Mediated Dilatation of the Brachial Artery in Healthy Subjects, 428

Brain Natriuretic Peptides. See Natriuretic Peptides

Brazilians

Relation of Serum Uric Acid With Metabolic Risk Factors in Asymptomatic Middle-Aged Brazilian Men, 865

Bucindolol

Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558

C-Reactive Protein

Comparison of C-Reactive Protein Levels After Coronary Stenting With Bare Metal Versus Sirolimus-Eluting Stents, 748

Comparison of C-Reactive Protein Levels Before and After Coronary Stenting and Restenosis Among Patients Treated With Sirolimus-Eluting Versus Bare Metal Stents, 1238

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Correlation Between Apoptotic Endothelial Microparticles and Serum Interleukin-6 and C-Reactive Protein in Healthy Men, 1258

Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235

Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With Coronary Heart Disease Versus Control Subjects, 1025

Effects of Interleukin-6 Produced in Coronary Circulation on Production of C-Reactive Protein and Coronary Microvascular Resistance, 849

Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

Relation of Elevated C-Reactive Protein and Interleukin-6 Levels to Left Atrial Size and Duration of Episodes in Patients With Atrial Fibrillation, 764

Utility of C-Reactive Protein Measurement in Risk Stratification During Primary Cardiovascular Disease Prevention, 1378

Caffeine

Hemodynamic Mechanisms Underlying the Incomplete Tolerance to Caffeine's Pressor Effects, 1389

Calcification

Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626

Relation of Family History of Premature Coronary Heart Disease and Metabolic Risk Factors to Risk of Coronary Arterial Calcium in Asymptomatic Subjects, 655

Relation of the Metabolic Syndrome to Calcified Atherosclerotic Plaque in the Coronary Arteries and Aorta, 1180

Calcium

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Impact of Coronary Calcium Score on Diagnostic Accuracy for the Detection of Significant Coronary Stenosis With Multislice Computed Tomography Angiography, 1225

Prevalence of Valve Calcium and Association of Valve Calcium With Coronary Artery Disease, Atherosclerotic Vascular Disease, and All-Cause Mortality in 137 Patients Undergoing Hemodialysis for Chronic Renal Failure, 742

Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005

Cancer

Relation of Acute Pericardial Disease to Malignancy, 1393

Cannulation

Effectiveness of Ulnar Artery Catheterization After Failed Attempt to Cannulate a Radial Artery, 1529

CARDIA Study

Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626

Cardiac Arrest

Effect of Cardiac Resynchronization Therapy on Inducibility of Ventricular Tachyarrhythmias in Cardiac Arrest Survivors With Either Ischemic or Idiopathic Dilated Cardiomyopathy, 1111

Cardiac Resynchronization Therapy

Use of Cardiac Resynchronization Therapy to Optimize Beta-Blocker Therapy in Patients With Heart Failure and Prolonged QRS Duration, 889

Cardiac Syndrome X

Brachial Artery Flow-Mediated Dilatation and Myocardial Perfusion in Patients With Cardiac Syndrome X, 1478

CARDINAL Trial

Prognostic Usefulness of White Blood Cell Count and Temperature in Acute Myocardial Infarction (from the CARDINAL Trial), 614

Cardiomyopathy. See also Myopathy

Circulating Levels of Heart-Type Fatty Acid-Binding Protein and Its Relation to Thallium-201 Perfusion Defects in Patients With Hypertrophic Cardiomyopathy, 1334

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Effect of Cardiac Resynchronization Therapy on Inducibility of Ventricular Tachyarrhythmias in Cardiac Arrest Survivors With Either Ischemic or Idiopathic Dilated Cardiomyopathy, 1111

Effects of Varying Ethanol Dosing on Percutaneous Septal Ablation for Obstructive Hypertrophic Cardiomyopathy on Early Hemodynamic Changes, 675

Global and Regional Parameters of Dyssynchrony in Ischemic and Nonischemic Cardiomyopathy, 421

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Long-Term Follow-Up of Patients With Obstructive Hypertrophic Cardiomyopathy Treated With Dual-Chamber Pacing, 991

Prevalence of T-Wave Inversion Beyond V₁ in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070

Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 1507

Significance and Relation Between Magnitude of Left Ventricular Hypertrophy and Heart Failure Symptoms in Hypertrophic Cardiomyopathy, 1329

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

Usefulness of Prolonged QRS Duration to Identify High-Risk Ischemic Cardiomyopathy Patients With Syncope and Inducible Ventricular Tachycardia, 391

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Value of B-Type Natriuretic Peptide for Identifying Significantly Elevated Pulmonary Artery Wedge Pressure in Patients Treated for Established Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy, 883

Cardioprotective Effect

Comparison of the Cardioprotective Effect of Prodromal Angina Pectoris and Collateral Circulation in Patients With a First Anterior Wall Acute Myocardial Infarction, 622

Cardiopulmonary Resuscitation (CPR)

Cardiac Arrest of Nonpatients Within Hospital Public Areas, 1370

Cardiovascular Disease

Relation of Progression of Coronary Artery Atherosclerosis to Risk of Cardiovascular Events (from the Monitored Atherosclerosis Regression Study), 1277

Cardioversion

Usefulness of Plasma B-Type Natriuretic Peptide in Predicting Recurrence of Atrial Fibrillation One Year After External Cardioversion, 1380

Carotid Artery

Comparison of the Safety and Efficacy of Emboli Prevention Devices Versus Platelet Glycoprotein IIb/IIIa Inhibition During Carotid Stenting, 791

Depressive Symptoms Are Interdependently Predictive of Carotid Atherosclerosis, 547

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

Carvedilol

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Catecholaminergic Polymorphic Ventricular Tachycardia

Unusual Clinical Presentation in a Family With Catecholaminergic Polymorphic Ventricular Tachycardia Due to a G14876A Ryanodine Receptor Gene Mutation, 700

Catheter Ablation

Anatomic Substrate, Procedural Results, and Clinical Outcome of Ultrasound-Guided Left Atrial-Pulmonary Vein Dissection for Treatment of Atrial Fibrillation, 871

Catheter Intervention

Catheter Management of Occluded Superior Baffle After Atrial Switch Procedures for Transposition of Great Vessels, 782

Catheterization

Effectiveness of Ulnar Artery Catheterization After Failed Attempt to Cannulate a Radial Artery, 1529

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

CD39

Relation of CD39 to Plaque Instability and Thrombus Formation in Directional Atherectomy Specimens from Patients With Stable and Unstable Angina Pectoris, 632

Cerebrovascular Disease

Usefulness of Noncoronary Vascular Disease in Predicting Adverse Events in the Year Following Percutaneous Coronary Intervention, 575

Valvular Heart Disease as a Cause of Cerebrovascular Disease in Patients with Systemic Lupus Erythematosus, 1441

Chest Pain. See also Angina Pectoris

Usefulness of Chest Pain Character and Location as Diagnostic Indicators of an Acute Coronary Syndrome, 1228

Children. See Pediatrics

Cholesterol. See also Lipids

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effect of Docosahexaenoic Acid on Lipoprotein Subclasses in Hyperlipidemic Children (the EARLY Study), 869

Effect of Low-Density Lipoprotein Apheresis on Lipoprotein-Associated Phospholipase A₂, 1246

Effect of Splitting *Simvastatin* Tablets for Control of Low-Density Lipoprotein Cholesterol, 1481

Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Estimating Cholesterol Treatment Rates Among Individuals With Multiple Risk Factors and Without Coronary Heart Disease, 862

Relation of the Use of Lipid-Lowering Medications Prior to Percutaneous Coronary Intervention to the Incidence of Intraprocedural Adverse Angiographic Events, 978

Cholesteryl Ester Transfer Protein

Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085

Chronic Total Coronary Artery Occlusion

Effect of Chronic Total Coronary Occlusion on Treatment Strategy, 1088

Success, Safety, and Mechanisms of Failure of Percutaneous Coronary Intervention for Occlusive Non-Drug-Eluting In-Stent Restenosis Versus Native Artery Total Occlusion, 1462

Cilostazol

Comparison of *Cilostazol* and *Clopidogrel* After Successful Coronary Stenting, 859

Cirrhosis

Effect of Cirrhosis and Liver Transplantation on the Gender Difference in QT Interval, 691

Clopidogrel

Comparison of *Cilostazol* and *Clopidogrel* After Successful Coronary Stenting, 859

Inhibition of Platelet Aggregation With *Eptifibatid*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without Integrilin [DEACON] Study), 1453

Collateral Circulation

Comparison of the Cardioprotective Effect of Prodromal Angina Pectoris and Collateral Circulation in Patients With a First Anterior Wall Acute Myocardial Infarction, 622

Collateral-Dependent Vessel

Direct Demonstration by Transthoracic Doppler Echocardiography of Adenosine-Induced Coronary Steal in the Collateral-Dependent Vessel, 1363

Commissurotomy

Feasibility, Safety, and Morphologic Predictors of Outcome of Repeat Percutaneous Balloon Mitral Commissurotomy, 989

Compliance

Compliance as a Critical Consideration in Patients Who Appear to Be Resistant to Aspirin After Healing of Myocardial Infarction, 973

Computed Tomography

Ability for Visualization, Reasons for Nonassessable Image, and Diagnostic Accuracy of 16-Slice Multidetector Row Helical Computed Tomography for the Assessment of the Entire Coronary Arteries, 1076

Assessment of Coronary Artery Abnormalities by Multislice Spiral Computed Tomography in Adolescents and Young Adults With Kawasaki Disease, 522

Cardiac Multidetector-Row Computed Tomography in Patients With Unstable Angina, 457

Computed Tomographic Angiography Coming of Age, 839

Diagnosis of Right Ventricular Dysfunction in Acute Pulmonary Embolism Using Helical Computed Tomography, 1260

Follow-Up of Coronary Artery Bypass Graft Patency by Multislice Computed Tomography, 1094

Impact of Coronary Calcium Score on Diagnostic Accuracy for the Detection of Significant Coronary Stenosis With Multislice Computed Tomography Angiography, 1225

Noninvasive Assessment of Coronary Plaque Burden Using Multislice Computed Tomography, 1165

Noninvasive Coronary Imaging and Assessment of Left Ventricular Function Using 16-Slice Computed Tomography, 571

Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Conduction

Comparison of Autotriggered Memory Loop Recorders Versus Standard Loop Recorders Versus 24-Hour Holter Monitors for Arrhythmia Detection, 1055

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1435

Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593

Effect of Conduction Mode and Location on Electrophysiologic Characteristics of Accessory Pathways, 1250

Electrophysiologic Characteristics of *Verapamil*-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

Impact of *Methadone* Treatment on Cardiac Repolarization and Conduction in Opioid Users, 915

Predictors of Lack of Response to Resynchronization Therapy, 1436

Relation of Initial Resting Ventricular Rate to the Ability to Achieve and Maintain Normal Sinus Rhythm in Patients With Atrial Fibrillation, 597

Congenital Heart Disease

B-Type Natriuretic Peptide Levels in Adults With Congenital Heart Disease and Right Ventricular Failure, 545

Comparison of Aortic Stiffness in Patients With Juvenile Forms of Ascending Aortic Dilation With Versus Without Marfan's Syndrome, 996

Determination of Timing for Reoperation in Patients After Right Ventricular Outflow Reconstruction, 1344

Echocardiographic Differentiation of Atrioventricular Septal Defects from Inlet Ventricular Septal Defects and Mitral Valve Clefts, 607

Effectiveness of Transvenous Pacemaker Leads Placed Through Intravascular Stents in Patients With Congenital Heart Disease, 424

Effects of Metallic Implants on Magnetic Resonance Imaging Evaluation of Fontan Palliation, 688

Outcome of Operated and Unoperated Adults With Congenital Cardiac Disease Lost to Follow-Up for More Than Five Years, 776

Usefulness of Branch Pulmonary Artery Regurgitant Fraction to Estimate the Relative Right and Left Pulmonary Vascular Resistances in Congenital Heart Disease, 1514

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Plasma B-Type Natriuretic Peptide to Identify Ventricular Dysfunction in Pediatric and Adult Patients With Congenital Heart Disease, 474

Usefulness of Real-Time Navigator Magnetic Resonance Imaging for Evaluating Coronary Artery Origins in Pediatric Patients, 679

Congestive Heart Failure. See Heart Failure

Contractile Function

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Contrast Echocardiography

Usefulness of Contrast Echocardiography for Diagnosis of Left Ventricular Noncompaction, 1130

Conversation With the Editor. See Interviews

Coronary Angiography

Noninvasive Coronary Imaging and Assessment of Left Ventricular Function Using 16-Slice Computed Tomography, 571

Coronary Arteries

Ability for Visualization, Reasons for Nonassessable Image, and Diagnostic Accuracy of 16-Slice Multidetector Row Helical Computed Tomography for the Assessment of the Entire Coronary Arteries, 1076

Assessment of Coronary Artery Abnormalities by Multislice Spiral Computed Tomography in Adolescents and Young Adults With Kawasaki Disease, 522

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

Relation of the Metabolic Syndrome to Calcified Atherosclerotic Plaque in the Coronary Arteries and Aorta, 1180

Coronary Artery Bypass. See also Revascularization

Comparison of Left Ventricular Diastolic Function After On-Pump Versus Off-Pump Coronary Artery Bypass Grafting, 647

Follow-Up of Coronary Artery Bypass Graft Patency by Multislice Computed Tomography, 1094

Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439

Quality of Life in Octogenarians After Coronary Artery Bypass Grafting, 761

Coronary Artery Disease. See also Angina Pectoris

Antianginal Efficacy of *Omapatrilat* in Patients With Chronic Angina Pectoris, 1283

Association of Anemia With Diastolic Dysfunction Among Patients With Coronary Artery Disease in the Heart and Soul Study, 332

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Association of Height With Outcomes in Patients With Acute Myocardial Infarction Receiving Reperfusion Therapy, 1371

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Cardiac Multidetector-Row Computed Tomography in Patients With Unstable Angina, 457

Characterization of Hibernating Myocardium With NOGA Electroanatomic Endocardial Mapping, 722

Characterization of Myocardial Infarction as an End Point in Two Large Trials of Acute Coronary Syndromes, 1404

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Comparative Efficacy of *Ranolazine* Versus *Atenolol* for Chronic Angina Pectoris, 311

Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072

Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644

Comparison of Effectiveness of Sirolimus-Eluting Stents Versus Bare Metal Stents for Percutaneous Coronary Intervention in Patients at High Risk for Coronary Restenosis or Clinical Adverse Events, 1409

- Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatid* or *Tirofiban* (The ACTION TRIAL), 1295
- Comparison of Low-Mechanical Index Pulse Sequence Schemes for Detecting Myocardial Perfusion Abnormalities During Vasodilator Stress Echocardiography, 565
- Comparison of Mental Stress-Induced Myocardial Ischemia in Coronary Artery Disease Patients With Versus Without Left Ventricular Dysfunction, 322
- Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327
- Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355
- Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290
- Doppler-Derived Left Ventricular Filling Pressures and the Regulation of Heart Rate Recovery After Exercise in Patients With Suspected Coronary Artery Disease, 832
- Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827
- Effect of Statin Therapy on Risk of Ventricular Arrhythmia Among Patients With Coronary Artery Disease and an Implantable Cardioverter-Defibrillator, 490
- Effectiveness and Safety of *Bivalirudin* During Percutaneous Coronary Intervention in a Single Medical Center, 716
- Effectiveness of High-Intensity Interval Training for the Rehabilitation of Patients With Coronary Artery Disease, 1080
- Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With Coronary Heart Disease Versus Control Subjects, 1025
- Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylene tetrahydrofolate Reductase Genotypes, 1420
- Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439
- Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558
- Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709
- In-Hospital and Long-Term Outcomes of Multivessel Percutaneous Coronary Revascularization After Acute Myocardial Infarction, 349
- Incidence and Predictors of Target Vessel Revascularization and Clinical Events Rates of the Sirolimus-Eluting Coronary Stent (Results from the Prospective Multicenter German Cypher Stent Registry), 1302
- Influence of Stent Length to Lesion Length Ratio on Angiographic and Clinical Outcomes After Implantation of Bare Metal and Drug-Eluting Stents (the TAXUS-IV Study), 1043
- Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445
- Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415
- Noninvasive Coronary Imaging and Assessment of Left Ventricular Function Using 16-Slice Computed Tomography, 571
- Plasma Asymmetric *Dimethylarginine* Concentrations in Newly Diagnosed Patients With Acute Myocardial Infarction or Unstable Angina Pectoris During Two Weeks of Medical Treatment, 729
- Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Coronary Artery Disease and Relation to Clinical Presentation, Angiographic Severity, and Left Ventricular Ejection Fraction, 553
- Predictors of Left Main or Three-Vessel Disease in Patients Who Have Acute Coronary Syndromes With Non-ST-Segment Elevation, 1366
- Prevalence of Valve Calcium and Association of Valve Calcium With Coronary Artery Disease, Atherosclerotic Vascular Disease, and All-Cause Mortality in 137 Patients Undergoing Hemodialysis for Chronic Renal Failure, 742
- Prognostic Value of Combined Perfusion and Function by Stress Technetium-99m Sestamibi Gated SPECT Myocardial Perfusion Imaging in Patients With Suspected or Known Coronary Artery Disease, 1351
- Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343
- Relation of Anemia to Low Heart Rate Variability in Patients With Coronary Heart Disease (from the Heart and Soul Study), 1474
- Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005
- Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317
- Relation of Progression of Coronary Artery Atherosclerosis to Risk of Cardiovascular Events (from the Monitored Atherosclerosis Regression Study), 1277
- Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397
- Usefulness of Noncoronary Vascular Disease in Predicting Adverse Events in the Year Following Percutaneous Coronary Intervention, 575
- Usefulness of Real-Time Myocardial Perfusion Imaging to Evaluate Tissue Level Reperfusion in Patients With Non-ST-Elevation Myocardial Infarction, 1033
- Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039
- Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarction Amiodarone Trial), 821
- Coronary Artery Occlusion, Total**
Effect of Chronic Total Coronary Occlusion on Treatment Strategy, 1088
- Coronary Heart Disease**
Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study, 1175
Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187
Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With Coronary Heart Disease Versus Control Subjects, 1025
Longevity of the Placebo Effect in the Therapeutic Angiogenesis and Laser Myocardial Revascularization Trials in Patients With Coronary Heart Disease, 1456
Predicting Coronary Heart Disease Risk Using Multiple Lipid Measures, 986
Relation of Anemia to Low Heart Rate Variability in Patients With Coronary Heart Disease (from the Heart and Soul Study), 1474
Relation of Aortic Valve Sclerosis to Risk of Coronary Heart Disease in African-Americans, 401
- Coronary Sinus**
Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235
- Coronary Steal**
Direct Demonstration by Transthoracic Doppler Echocardiography of Adenosine-Induced Coronary Steal in the Collateral-Dependent Vessel, 1363
- Corrections**, 438
- Cost Effectiveness**
Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314
Effect of Splitting *Simvastatin* Tablets for Control of Low-Density Lipoprotein Cholesterol, 1481
- Costs**
Direct Medical Costs of Syncope-Related Hospitalizations in the United States, 668
- Coxibs**
Effect of Selective Cyclooxygenase-2 Inhibitors on Heart Rate in Healthy Young Men, 1531
- CPR (Cardiopulmonary Resuscitation)**
Cardiac Arrest of Nonpatients Within Hospital Public Areas, 1370
- Creatine Kinase-MB**
Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355
Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-

Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386

CRUSADE

Lipid Management in Patients With Unstable Angina Pectoris and Non-ST-Segment Elevation Acute Myocardial Infarction (from CRUSADE), 483

Cytokines

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Cytomegalovirus

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

DAVID Trial

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1431

Time to Resumption of Driving After Implantation of an Automatic Defibrillator (from the Dual Chamber and VVI Implantable Defibrillator [DAVID] Trial), 665

DEACON Study

Inhibition of Platelet Aggregation With *Eptifibatid*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without Integridin [DEACON] Study), 1453

Defibrillation Threshold

Relation of Echocardiographic Wall Motion Score Index and Response to *Dobutamine* Stress to Defibrillation Threshold at the Time of Implantation of a Cardiac Defibrillator, 1099

Defibrillators, External

Effectiveness of Automated External Defibrillators in High Schools in Greater Boston, 1484

Defibrillators, Implantable. See ICD (Implantable Cardioversion Defibrillator)

Depression

Depressive Symptoms Are Interdependently Predictive of Carotid Atherosclerosis, 547

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

Desensitization

Rapid Desensitization Procedure for Patients With *Aspirin* Hypersensitivity Undergoing Coronary Stenting, 509

Dexamethasone

Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502

Diabetes Mellitus

Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients

With Hypertension Without Diabetes, and in Healthy Subjects, 905

Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290

Left Ventricular Function in Patients With Type 2 Diabetes Mellitus, 798

Prevalence of Left Ventricular Diastolic Dysfunction in Obese Persons With and Without Diabetes Mellitus, 1527

Prevalence of Silent Myocardial Ischemia in Persons With Diabetes Mellitus or Impaired Glucose Tolerance and Association of Hemoglobin A_{1c} With Prevalence of Silent Myocardial Ischemia, 1472

Prognostic Impact of Diabetes Mellitus in Patients With Acute Decompensated Heart Failure, 1117

Diameter

Influence of Vessel Diameter on the Efficacy of Distal Protection Devices During Saphenous Vein Graft Intervention, 651

Diastolic Function

Association of Anemia With Diastolic Dysfunction Among Patients With Coronary Artery Disease in the Heart and Soul Study, 332

Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients With Hypertension Without Diabetes, and in Healthy Subjects, 905

Comparison of Left Ventricular Diastolic Function After On-Pump Versus Off-Pump Coronary Artery Bypass Grafting, 647

Contribution of Left Ventricular Diastolic Dysfunction to Heart Failure Regardless of Ejection Fraction, 603

Effect of Acute Changes in Load on Left Ventricular Diastolic Function During Device Closure of Atrial Septal Defects, 686

Effect of Transcatheter Atrial Septal Defect Closure in Children on Left Ventricular Diastolic Function, 1255

Left Ventricular Function in Children With Sleep-Disordered Breathing, 801

Prevalence of Left Ventricular Diastolic Dysfunction in Obese Persons With and Without Diabetes Mellitus, 1527

Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 1507

Usefulness of Atrial Size Inequality as an Indicator of Abnormal Left Ventricular Filling, 1448

Usefulness of Plasma Brain-Type Natriuretic Peptide Level to Differentiate Left Ventricular Diastolic Dysfunction from Preserved Diastolic Function in Patients With Systolic Dysfunction, 1383

Diet

Cardiovascular Benefits of Nuts, 963

Digitalis Purpurea

Digitalis Purpurea, 544

Dilated Aortic Root

Factors Related to Aortic Regurgitation in the Presence of a Dilated Aortic Root, 417

Dilated Ascending Aorta

Comparison of Aortic Stiffness in Patients With Juvenile Forms of Ascending Aortic Dilatation With Versus Without Marfan's Syndrome, 996

Dimethylarginine

Plasma Asymmetric *Dimethylarginine* Concentrations in Newly Diagnosed Patients With Acute Myocardial Infarction or Unstable Angina Pectoris During Two Weeks of Medical Treatment, 729

Dipyridamole

Heart Rate Response During *Dipyridamole* Stress as a Predictor of Mortality in Patients With Normal Myocardial Perfusion and Normal Electrocardiograms, 1159

Direct Thrombin Inhibitor

Effectiveness and Safety of *Bivalirudin* During Percutaneous Coronary Intervention in a Single Medical Center, 716

Distal Protection Procedure

Fate of Unprotected Side Branches as Related to Embolic Complications During Stent Implantation for Acute Coronary Syndromes Using a Distal Protection Procedure, 636

Influence of Vessel Diameter on the Efficacy of Distal Protection Devices During Saphenous Vein Graft Intervention, 651

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

Divers

Evidence for Increasing Patency of the Foramen Ovale in Divers, 912

Dobutamine

Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072

Effect of the Transmural Extent of Myocardial Scar on Left Ventricular Systolic Wall Thickening During Intravenous *Dobutamine* Administration, 495

Efficacy and Safety of Intermittent, Long-Term, Concomitant *Dobutamine* and *Levosimendan* Infusions in Severe Heart Failure Refractory to *Dobutamine* Alone, 768

Docosahexaenoic Acid

Effect of Docosahexaenoic Acid on Lipoprotein Subclasses in Hyperlipidemic Children (the EARLY Study), 869

Doppler

Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496

- Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients With Hypertension Without Diabetes, and in Healthy Subjects, 905
- Comparison of Left Ventricular Diastolic Function After On-Pump Versus Off-Pump Coronary Artery Bypass Grafting, 647
- Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538
- Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation Acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930
- Comparison of Tissue Doppler and Propagation Velocity to Invasive Measures for Measuring Left Ventricular Filling Pressures, 1017
- Comparison of Tissue Doppler Dynamics to Doppler Flow in Evaluating Left Atrial Appendage Function by Transesophageal Echocardiography, 1011
- Direct Demonstration by Transthoracic Doppler Echocardiography of Adenosine-Induced Coronary Steal in the Collateral-Dependent Vessel, 1363
- Doppler-Derived Left Ventricular Filling Pressures and the Regulation of Heart Rate Recovery After Exercise in Patients With Suspected Coronary Artery Disease, 832
- Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521
- Global and Regional Parameters of Dyssynchrony in Ischemic and Nonischemic Cardiomyopathy, 421
- Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941
- Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338
- Usefulness of Tissue Doppler Imaging for Estimation of Left Ventricular Filling Pressures in Patients With Systolic and Diastolic Heart Failure, 892
- Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039
- Doppler Deceleration Time**
- Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation Acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930
- Driving**
- Time to Resumption of Driving After Implantation of an Automatic Defibrillator (from the Dual Chamber and VVI Implantable Defibrillator [DAVID] Trial), 665
- Dyslipidemia**
- Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085
- Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360
- Impact of Dyslipidemia Associated With Highly Active Antiretroviral Therapy (HAART) on Cardiovascular Risk and Life Expectancy, 586
- Influence of Extended-Release Nicotinic Acid on Non-esterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309
- Dysplasia**
- Prevalence of T-Wave Inversion Beyond V_1 in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070
- Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 9027
- Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935
- Dyspnea**
- The N-Terminal Pro-BNP Investigation of Dyspnea in the Emergency Department (PRIDE) Study, 948
- Dyssynchrony**
- Global and Regional Parameters of Dyssynchrony in Ischemic and Nonischemic Cardiomyopathy, 421
- EARLY Study**
- Effect of Docosahexaenoic Acid on Lipoprotein Subclasses in Hyperlipidemic Children (the EARLY Study), 869
- Echocardiography. See also Ultrasound**
- Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496
- Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072
- Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809
- Comparison of Low-Mechanical Index Pulse Sequence Schemes for Detecting Myocardial Perfusion Abnormalities During Vasodilator Stress Echocardiography, 565
- Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538
- Comparison of Tissue Doppler Dynamics to Doppler Flow in Evaluating Left Atrial Appendage Function by Transesophageal Echocardiography, 1011
- Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593
- Comparison of Upright and Semi-Recumbent Postures for Exercise Echocardiography in Healthy Children, 918
- Direct Demonstration by Transthoracic Doppler Echocardiography of Adenosine-Induced Coronary Steal in the Collateral-Dependent Vessel, 1363
- Echocardiographic Differentiation of Atrioventricular Septal Defects from Inlet Ventricular Septal Defects and Mitral Valve Clefts, 607
- Echocardiographic Examination of Atrioventricular and Interventricular Delay Optimization in Cardiac Resynchronization Therapy, 1108
- Effect on Right Ventricular Volume of Percutaneous Amplatzer Closure of Atrial Septal Defect in Adults, 993
- Effectiveness of Echocardiographic Imaging by Nurses to Identify Left Ventricular Systolic Dysfunction in High-Risk Patients, 1271
- Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E'/E'), 1020
- Immediate Upright Post-Treadmill Exercise Echocardiographic Imaging, 1395
- Physical Determinants of Systolic Murmur Intensity in Aortic Stenosis, 775
- Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626
- Relation of Echocardiographic Wall Motion Score Index and Response to *Dobutamine* Stress to Defibrillation Threshold at the Time of Implantation of a Cardiac Defibrillator, 1099
- Risk Factors, Echocardiographic Patterns, and Outcomes in Patients With Acute Ventricular Septal Rupture During Myocardial Infarction, 1153
- Significance and Relation Between Magnitude of Left Ventricular Hypertrophy and Heart Failure Symptoms in Hypertrophic Cardiomyopathy, 1329
- ST-Segment Depression on the Initial Electrocardiogram in Acute Myocardial Infarction—Prognostic Significance and Its Effect on Short-Term Mortality: A Report from the National Registry of Myocardial Infarction (NMRI-2, 3, 4), 843
- Usefulness of Contrast Echocardiography for Diagnosis of Left Ventricular Noncompaction, 1130
- Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941
- Usefulness of Myocardial Perfusion Echocardiography to Identify Obstructive Coronary Artery Disease in Patients With Abnormal Ventricular Septal Motion, 852
- Usefulness of Real-Time Myocardial Perfusion Imaging to Evaluate Tissue Level Reperfusion in Patients With Non-ST-Elevation Myocardial Infarction, 1033
- Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039
- Editorials**
- Cardiovascular Benefits of Nuts, 963
- Classification of Systemic Therapies for Potential Stabilization of the Vulnerable Plaque to Prevent Acute Myocardial Infarction, 379
- Computed Tomographic Angiography Coming of Age, 838
- The Debate Goes On—What Is Your Choice?, 53

Digital Technology for Cardiac Pacing, 479

Is Operative Closure of a Small Ventricular Septal Defect Required After an Episode of Infective Endocarditis?, 960

Minimizing Right Ventricular Pacing, 966

A "Poly-Portfolio" for Secondary Prevention: A Strategy to Reduce Subsequent Events by Up to 97% Over Five Years, 373

Prevalence of T-Wave Inversion Beyond V₁ in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070

8-Hydroxy-2'-Deoxyguanosine

Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase After Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 514

18F-Fluorodeoxyglucose Imaging

Myocardial Technetium-99m-Tetrafosmin Compared With 18F-Fluorodeoxyglucose Imaging to Assess Myocardial Viability, 1223

Ejection Fractions

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Contribution of Left Ventricular Diastolic Dysfunction to Heart Failure Regardless of Ejection Fraction, 603

Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Coronary Artery Disease and Relation to Clinical Presentation, Angiographic Severity, and Left Ventricular Ejection Fraction, 553

Elderly. See also Age; Octogenarians

Do Elderly Systolic Heart Failure Patients Benefit from Beta Blockers to the Same Extent as the Non-Elderly? Meta-Analysis of >12,000 Patients in Large-Scale Clinical Trials, 896

Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥ 70 Years of Age With Heart Failure, 1120

Influence of Reperfusion Therapy on Prognosis in Patients Aged ≥ 89 Years With Acute Myocardial Infarction, 1232

Electroanatomical Mapping

Characterization of Hibernating Myocardium With NOGA Electroanatomic Endocardial Mapping, 722

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

Electrocardiography

Comparison of Autotriggered Memory Loop Recorders Versus Standard Loop Recorders Versus 24-Hour Holter Monitors for Arrhythmia Detection, 1055

Effect of Serum Albumin on QRS Wave Amplitude in Patients Free of Heart Disease, 789

Electrocardiographic Findings in Primary Systemic Amyloidosis and Biopsy-Proven Cardiac Involvement, 535

First Experience With a Mobile Cardiac Outpatient Telemetry (MCOT) System for the Diagnosis and Management of Cardiac Arrhythmia, 879

Heart Rate Influences on Repolarization Duration and Morphology in Symptomatic Versus Asymptomatic KCNQ1 Mutation Carriers, 406

Heart Rate Response During *Dipyridamole* Stress as a Predictor of Mortality in Patients With Normal Myocardial Perfusion and Normal Electrocardiograms, 1159

Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343

Time Frequency Analysis of the Surface Electrocardiogram for Monitoring Antiarrhythmic Drug Effects in Atrial Fibrillation, 526

Which Parameters on Magnetic Resonance Imaging Determine Q Waves on the Electrocardiogram?, 925

Electrophysiologic Characteristics

Effect of Conduction Mode and Location on Electrophysiologic Characteristics of Accessory Pathways, 1250

Electrophysiologic Characteristics of *Verapamil*-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

Electrophysiology

Comparison of Low-Mechanical Index Pulse Sequence Schemes for Detecting Myocardial Perfusion Abnormalities During Vasodilator Stress Echocardiography, 565

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

Embolism

Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593

Morphometric Analysis of Particulate Debris Extracted by Four Different Embolic Protection Devices from Coronary Arteries, Aortocoronary Saphenous Vein Conduits, and Carotid Arteries, 1415

A Novel, Low-Profile Filter-Wire (Interceptor) Embolic Protection Device During Saphenous Vein Graft Stenting, 511

Trends in the Incidence of Pulmonary Embolism and Deep Venous Thrombosis in Hospitalized Patients, 1525

Embolization

Comparison of the Safety and Efficacy of Emboli Prevention Devices Versus Platelet Glycoprotein IIb/IIIa Inhibition During Carotid Stenting, 791

Enalapril

Usefulness of *Enalapril* Versus *Propranolol* or *Atenolol* for Prevention of Aortic Dilation in Patients With the Marfan Syndrome, 1125

Endocarditis

Is Operative Closure of a Small Ventricular Septal Defect Required After an Episode of Infective Endocarditis?, 960

Endothelial Cell Adhesion Molecules

Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187

Endothelial Dysfunction

Effect of Hyperhomocysteinemia Induced by *Methionine* Administration on Flow-Mediated Dilatation of the Brachial Artery in Healthy Subjects, 428

Endothelial Microparticles

Correlation Between Apoptotic Endothelial Microparticles and Serum Interleukin-6 and C-Reactive Protein in Healthy Men, 1258

Endothelin

Association of Endothelin-1 With Transient Myocardial Ischemia in Patients With Unstable Angina Pectoris, 492

Renal Handling of Endothelin in Patients With Chronic Heart Failure, 532

End Point Adjudication

Characterization of Myocardial Infarction as an End Point in Two Large Trials of Acute Coronary Syndromes, 1404

Enoxaprin

Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatide* or *Tirofiban* (The ACTION Trial), 1295

Epstein-Barr Virus

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

Eptifibatide

Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatide* or *Tirofiban* (The ACTION Trial), 1295

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Safety of Coronary Stenting With *Eptifibatide* and Ultra-Low-Dose *Heparin*, 630

Erectile Dysfunction

Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327

Ethanol

Effects of Varying Ethanol Dosing on Percutaneous Septal Ablation for Obstructive Hypertrophic Cardiomyopathy on Early Hemodynamic Changes, 675

European Myocardial Infarct Amiodarone Trial

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Exercise

Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study, 1175

Comparison of Mental Stress-Induced Myocardial Ischemia in Coronary Artery Disease Patients With Versus Without Left Ventricular Dysfunction, 322

Doppler-Derived Left Ventricular Filling Pressures and the Regulation of Heart Rate Recovery After Exercise in Patients With Suspected Coronary Artery Disease, 832

Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥ 70 Years of Age With Heart Failure, 1120

Effect of Exercise Training on VO_{2peak} and Left Ventricular Systolic Function in Recent Cardiac Transplant Recipients, 1002

Effect of Resistance Exercise on Skeletal Muscle Myopathy in Heart Transplant Recipients, 1192

Immediate Upright Post-Treadmill Exercise Echocardiographic Imaging, 1395

Monitoring of Physical Activity and Heart Rate Variability in Patients With Chronic Heart Failure Using Cardiac Resynchronization Devices, 1104

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Left Atrial Emptying Fraction to Predict Exercise Capacity in Patients With Normal Systolic Left Ventricular Function and Without Myocardial Ischemia, 1014

Utility of Cardiopulmonary Stress Testing in Assessing Disease Severity in Children With Pulmonary Arterial Hypertension, 697

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Exercise Echocardiography

Comparison of Upright and Semi-Recumbent Postures for Exercise Echocardiography in Healthy Children, 918

External Counterpulsation

Frequency and Efficacy of Repeat Enhanced External Counterpulsation for Stable Angina Pectoris (from the International EECOP Patient Registry), 394

External Defibrillators

Effectiveness of Automated External Defibrillators in High Schools in Greater Boston, 1484

Familial Amyloid Polyneuropathy

Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538

Family History

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylene tetrahydrofolate Reductase Genotypes, 1420

Relation of Family History of Premature Coronary Heart Disease and Metabolic Risk Factors to Risk of Coronary Arterial Calcium in Asymptomatic Subjects, 655

Females. See Women

Femoral Artery

Impact of Multiple Cardiovascular Risk Factors on Femoral Artery Intima-Media Thickness in Asymptomatic Young Adults (The Bogalusa Heart Study), 469

Fenofibrate

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Fetus

Ultrasonic Biophysical Measurements in the Normal Human Fetus for Optimal Design of the Monolithic Fetal Pacemaker, 1267

Fibrinolytic Therapy

Angiographic and Clinical Outcomes Associated With Direct Versus Conventional Stenting Among Patients With Fibrinolytic Therapy for ST-Elevation Acute Myocardial Infarction, 383

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Comparison of ST-Segment Resolution With Combined Fibrinolytic and Glycoprotein IIb/IIIa Inhibitor Therapy Versus Fibrinolytic Alone (Data from Four Clinical Trials), 611

Filling Pressures

Comparison of Tissue Doppler and Propagation Velocity to Invasive Measures for Measuring Left Ventricular Filling Pressures, 1017

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E'/E'), 1020

Relation of Aneurysmectomy in Patients With Advanced Left Ventricular Remodeling to Postoperative Left Ventricular Filling Pressure, Redilatation With Ischemic Mitral Regurgitation, 517

Flow Mediated Dilation

Brachial Artery Flow-Mediated Dilation and Myocardial Perfusion in Patients With Cardiac Syndrome X, 1478

Fluvastatin

Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445

Follow-Up Studies. See Outcomes

Fontan Palliation

Effects of Metallic Implants on Magnetic Resonance Imaging Evaluation of Fontan Palliation, 688

Forearm Vasculature

Effects of *Aldosterone* on Forearm Vasculature in Treated Chronic Heart Failure, 412

Foxglove

Digitalis Purpurea, 544

Frequency Analysis

Usefulness of a New Sound Spectral Averaging Technique to Distinguish an Innocent Systolic Murmur from That of Aortic Stenosis, 902

From the Editor

Good Books in Cardiovascular Disease Appearing in 2004, 814

Proceedings of the Editorial Board Meeting of *the American Journal of Cardiology* on 7 March 2005, 1273

Gastric Bypass

Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521

Gated SPECT

Prognostic Value of Combined Perfusion and Function by Stress Technetium-99m Sestamibi Gated SPECT Myocardial Perfusion Imaging in Patients With Suspected or Known Coronary Artery Disease, 1351

Gender. See also Men; Women

Comparison of Treatment Benefit and Outcome in Women Versus Men With Chronic Heart Failure (from the Valsartan Heart Failure Trial), 529

Effect of Cirrhosis and Liver Transplantation on the Gender Difference in QT Interval, 691

Effect of Gender on Treatment, Resource Utilization, and Outcomes in Congestive Heart Failure in Quebec, Canada, 955

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E'/E'), 1020

Hemodynamic Mechanisms Underlying the Incomplete Tolerance to Caffeine's Pressor Effects, 1389

Gene Mutations

Heart Rate Influences on Repolarization Duration and Morphology in Symptomatic Versus Asymptomatic KCNQ1 Mutation Carriers, 406

Unusual Clinical Presentation in a Family With Catecholaminergic Polymorphic Ventricular Tachycardia Due to a G14876A Ryanodine Receptor Gene Mutation, 700

GENERATION Study

Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386

Glycoprotein IIb/IIIa

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Comparison of ST-Segment Resolution With Combined Fibrinolytic and Glycoprotein IIb/IIIa Inhibitor Therapy Versus Fibrinolytic Alone (Data from Four Clinical Trials), 611

Comparison of the Safety and Efficacy of Emboli Prevention Devices Versus Platelet Glycoprotein IIb/IIIa Inhibition During Carotid Stenting, 791

HAART (Highly Active Antiretroviral Therapy)

Impact of Dyslipidemia Associated With Highly Active Antiretroviral Therapy (HAART) on Cardiovascular Risk and Life Expectancy, 586

Heart and Soul Study

Association of Anemia With Diastolic Dysfunction Among Patients With Coronary Artery Disease in the Heart and Soul Study, 332

Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study, 1175

Relation of Anemia to Low Heart Rate Variability in Patients With Coronary Heart Disease (from the Heart and Soul Study), 1474

Heart Failure

Association of Anemia With Diastolic Dysfunction Among Patients With Coronary Artery Disease in the Heart and Soul Study, 332

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Contribution of Left Ventricular Diastolic Dysfunction to Heart Failure Regardless of Ejection Fraction, 603

Do Elderly Systolic Heart Failure Patients Benefit from Beta Blockers to the Same Extent as the Non-Elderly? Meta-Analysis of >12,000 Patients in Large-Scale Clinical Trials, 896

Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥ 70 Years of Age With Heart Failure, 1120

Effect of Gender on Treatment, Resource Utilization, and Outcomes in Congestive Heart Failure in Quebec, Canada, 955

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor- α Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Effects of *Aldosterone* on Forearm Vasculature in Treated Chronic Heart Failure, 412

Efficacy and Safety of Intermittent, Long-Term, Concomitant *Dobutamine* and *Levosimendan* Infusions in Severe Heart Failure Refractory to *Dobutamine* Alone, 768

Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558

Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population), 9022

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Monitoring of Physical Activity and Heart Rate Variability in Patients With Chronic Heart Failure Using Cardiac Resynchronization Devices, 1104

The N-Terminal Pro-BNP Investigation of Dyspnea in the Emergency Department (PRIDE) Study, 948

Permanent Pacing Is a Risk Factor for the Development of Heart Failure, 671

Predictors of Lack of Response to Resynchronization Therapy, 1436

Prognostic Impact of Diabetes Mellitus in Patients With Acute Decompensated Heart Failure, 1117

Prognostic Significance of *Simvastatin* Therapy in Patients With Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention for Acute Myocardial Infarction, 619

Renal Handling of Endothelin in Patients With Chronic Heart Failure, 532

Significance and Relation Between Magnitude of Left Ventricular Hypertrophy and Heart Failure Symptoms in Hypertrophic Cardiomyopathy, 1329

Trends in Mortality Attributed to Heart Failure in Worcester, Massachusetts, 1992 to 2001, 1324

Use of Cardiac Resynchronization Therapy to Optimize Beta-Blocker Therapy in Patients With Heart Failure and Prolonged QRS Duration, 889

Usefulness of Relative Lymphocyte Count as an Independent Predictor of Death/Urgent Transplant in Heart Failure, 1492

Usefulness of Tissue Doppler Imaging for Estimation of Left Ventricular Filling Pressures in Patients With Systolic and Diastolic Heart Failure, 892

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Value of B-Type Natriuretic Peptide for Identifying Significantly Elevated Pulmonary Artery Wedge Pressure in Patients Treated for Established Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy, 883

Heart Rate

Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study, 1175

Effect of Selective Cyclooxygenase-2 Inhibitors on Heart Rate in Healthy, Young Men, 1531

Heart Rate Response During *Dipyridamole* Stress as a Predictor of Mortality in Patients With Normal Myocardial Perfusion and Normal Electrocardiograms, 1159

Relation Between Actual Heart Rate and Autonomic Effects of Beta Blockade in Healthy Men, 999

Relation of Anemia to Low Heart Rate Variability in Patients With Coronary Heart Disease (from the Heart and Soul Study), 1474

Relation of Initial Resting Ventricular Rate to the Ability to Achieve and Maintain Normal Sinus Rhythm in Patients With Atrial Fibrillation, 597

Heart Rate Recovery

Doppler-Derived Left Ventricular Filling Pressures and the Regulation of Heart Rate Recovery After Exercise in Patients With Suspected Coronary Artery Disease, 832

Heart Transplantation

Effect of Exercise Training on VO_{2peak} and Left Ventricular Systolic Function in Recent Cardiac Transplant Recipients, 1002

Effect of Resistance Exercise on Skeletal Muscle Myopathy in Heart Transplant Recipients, 1192

Relation of QT_c Duration Heterogeneity to Mortality Following Orthotopic Heart Transplantation, 431

Statin Use and Risks of Death or Fatal Rejection in the Heart Transplant Lipid Registry, 367

Usefulness of Relative Lymphocyte Count as an Independent Predictor of Death/Urgent Transplant in Heart Failure, 1492

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Value of Plasma B-Type Natriuretic Peptide as a Marker for Rejection in Pediatric Heart Transplant Recipients, 909

Heart-type Fatty Acid-Binding Protein

Circulating Levels of Heart-Type Fatty Acid-Binding Protein and Its Relation to Thallium-201 Perfusion Defects in Patients With Hypertrophic Cardiomyopathy, 1334

Height

Association of Height With Outcomes in Patients With Acute Myocardial Infarction Receiving Reperfusion Therapy, 1371

Hemodialysis

Prevalence of Valve Calcium and Association of Valve Calcium With Coronary Artery Disease, Atherosclerotic Vascular Disease, and All-Cause Mortality in 137 Patients Undergoing Hemodialysis for Chronic Renal Failure, 742

Hemodynamics. See also Hypertension

Effects of Varying Ethanol Dosing on Percutaneous Septal Ablation for Obstructive Hypertrophic Cardiomyopathy on Early Hemodynamic Changes, 675

Hemodynamic Mechanisms Underlying the Incomplete Tolerance to Caffeine's Pressor Effects, 1389

Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941

Value of B-Type Natriuretic Peptide for Identifying Significantly Elevated Pulmonary Artery Wedge Pressure in Patients Treated for Established Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy, 883

Hemoglobin A_{1c}

Prevalence of Silent Myocardial Ischemia in Persons With Diabetes Mellitus or Impaired Glucose Tolerance and Association of Hemoglobin A_{1c} With Prevalence of Silent Myocardial Ischemia, 1472

Heparin

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatide* or *Tirofiban* (The ACTION Trial), 1295

Incidence of Antiplatelet Factor 4/*Heparin* Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving Clopidogrel Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Safety of Coronary Stenting With *Eptifibatide* and Ultra-Low-Dose *Heparin*, 630

Herbal Medicine

Digitalis Purpurea, 544

Herpes Simplex

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

Hibernating Myocardium

Characterization of Hibernating Myocardium With NOGA Electroanatomic Endocardial Mapping, 722

High-Density Lipoprotein. See Cholesterol

High Schools

Effectiveness of Automated External Defibrillators in High Schools in Greater Boston, 1484

HIV/AIDS Infected Patients

Impact of Dyslipidemia Associated With Highly Active Antiretroviral Therapy (HAART) on Cardiovascular Risk and Life Expectancy, 586

Homocysteine

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylenetetrahydrofolate Reductase Genotypes, 1420

Hospitals

Cardiac Arrest of Nonpatients Within Hospital Public Areas, 1370

Human Immunodeficiency Virus. See HIV/AIDS Infected Patients

Hyperhomocysteinemia

Effect of Hyperhomocysteinemia Induced by *Methionine* Administration on Flow-Mediated Dilatation of the Brachial Artery in Healthy Subjects, 428

Hyperlipidemia

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Hypertension. See also Hemodynamics

Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients With Hypertension Without Diabetes, and in Healthy Subjects, 905

Long-Term Effects of Stress Reduction on Mortality in Persons ≥ 55 Years of Age With Systemic Hypertension, 1060

Usefulness of Latent Left Ventricular Dysfunction Assessed by Bowditch Treppe to Predict Stress-Induced Pulmonary Hypertension in Minimally Symptomatic Severe Mitral Regurgitation Secondary to Mitral Valve Prolapse, 414

Utility of Cardiopulmonary Stress Testing in Assessing Disease Severity in Children With Pulmonary Arterial Hypertension, 697

Hypertrophic Cardiomyopathy. See Cardiomyopathy

Hypertrophy

Significance and Relation Between Magnitude of Left Ventricular Hypertrophy and Heart Failure Symptoms in Hypertrophic Cardiomyopathy, 1329

ICD (Implantable Cardioverter-Defibrillator)

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1431

Effect of Statin Therapy on Risk of Ventricular Arrhythmia Among Patients With Coronary Artery Disease and an Implantable Cardioverter-Defibrillator, 490

Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population), 1487

Time to Resumption of Driving After Implantation of an Automatic Defibrillator (from the Dual Chamber and VVI Implantable Defibrillator [DAVID] Trial), 665

Idiopathic Cardiomyopathy. See Cardiomyopathy

Imaging. See Computed Tomography; Doppler; Magnetic Resonance Imaging; 16-Slice Multidetector Row Computed Tomography; Ultrasound

Inducible Ventricular Tachycardia

Usefulness of Prolonged QRS Duration to Identify High-Risk Ischemic Cardiomyopathy Patients With Syncope and Inducible Ventricular Tachycardia, 391

Infants. See also Pediatrics

Effect of Triiodothyronine on Gene Transcription During Cardiopulmonary Bypass in Infants With Ventricular Septal Defect, 787

Inflammation

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Comparison of C-Reactive Protein Levels After Coronary Stenting With Bare Metal Versus Sirolimus-Eluting Stents, 748

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502

Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386

Relation of Depressive Symptoms to C-Reactive Protein and Pathogen Burden (Cytomegalovirus, Herpes Simplex Virus, Epstein-Barr Virus) in Patients With Earlier Acute Coronary Syndromes, 317

Utility of C-Reactive Protein Measurement in Risk Stratification During Primary Cardiovascular Disease Prevention, 1378

Integrilin

Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without INtegrilin [DEACON] Study), 1453

Interhospital Delay

Relation of Interhospital Delay and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Transferred for Primary Coronary Angioplasty, 1361

Interarterial Block

Interarterial Block as a Predictor of Embolic Stroke, 667

Interleukins

Correlation Between Apoptotic Endothelial Microparticles and Serum Interleukin-6 and C-Reactive Protein in Healthy Men, 1258

Effects of Interleukin-6 Produced in Coronary Circulation on Production of C-Reactive Protein and Coronary Microvascular Resistance, 849

Relation of Elevated C-Reactive Protein and Interleukin-6 Levels to Left Atrial Size and Duration of Episodes in Patients With Atrial Fibrillation, 764

Relation of Interleukin-6 Levels and Prothrombin Fragment 1+2 to a Point-Based Score for Stroke Risk in Atrial Fibrillation, 881

Interval Training

Effectiveness of High-Intensity Interval Training for the Rehabilitation of Patients With Coronary Artery Disease, 1080

Interviews

Anthony Nicholas De Maria, MD: A Conversation With the Editor, 204

Wallace Bruce Fye III, MD, MA, MACC: A Conversation With the Editor, 55

Barry Lewis Zaret, MD: A Conversation With the Editor, 1199

Intravascular Ultrasound

Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644

Ischemia

Association of Endothelin-1 With Transient Myocardial Ischemia in Patients With Unstable Angina Pectoris, 492

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylenetetrahydrofolate Reductase Genotypes, 1420

Prevalence of Silent Myocardial Ischemia in Persons With Diabetes Mellitus or Impaired Glucose Tolerance and Association of Hemoglobin A_{1c} With Prevalence of Silent Myocardial Ischemia, 1472

Usefulness of Left Atrial Emptying Fraction to Predict Exercise Capacity in Patients With Normal Systolic Left Ventricular Function and Without Myocardial Ischemia, 1014

Ischemic Cardiomyopathy. See Cardiomyopathy

Isoproterenol

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor- α Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Kawasaki Disease

Assessment of Coronary Artery Abnormalities by Multislice Spiral Computed Tomography in Adolescents and Young Adults With Kawasaki Disease, 522

Kidneys. See also Renal Failure; Renal Impairment

Renal Handling of Endothelin in Patients With Chronic Heart Failure, 532

Left Atrium

Comparison of Tissue Doppler Dynamics to Doppler Flow in Evaluating Left Atrial Appendage Function by Transesophageal Echocardiography, 1011

Relation of Elevated C-Reactive Protein and Interleukin-6 Levels to Left Atrial Size and Duration of Episodes in Patients With Atrial Fibrillation, 764

Usefulness of Atrial Size Inequality as an Indicator of Abnormal Left Ventricular Filling, 1448

Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941

Usefulness of Left Atrial Emptying Fraction to Predict Exercise Capacity in Patients With Normal Systolic Left Ventricular Function and Without Myocardial Ischemia, 1014

Left Ventricle

Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients With Hypertension Without Diabetes, and in Healthy Subjects, 905

Comparison of Left Ventricular Diastolic Function After On-Pump Versus Off-Pump Coronary Artery Bypass Grafting, 647

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Comparison of Mental Stress-Induced Myocardial Ischemia in Coronary Artery Disease Patients With Versus Without Left Ventricular Dysfunction, 322

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation Acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Comparison of Tissue Doppler and Propagation Velocity to Invasive Measures for Measuring Left Ventricular Filling Pressures, 1017

Contribution of Left Ventricular Diastolic Dysfunction to Heart Failure Regardless of Ejection Fraction, 603

Doppler-Derived Left Ventricular Filling Pressures and the Regulation of Heart Rate Recovery After Exercise in Patients With Suspected Coronary Artery Disease, 832

Effect of Chronic Right Ventricular Apical Pacing on Left Ventricular Function, 771

Effect of Exercise Training on VO_{2peak} and Left Ventricular Systolic Function in Recent Cardiac Transplant Recipients, 1002

Effect of the Transmural Extent of Myocardial Scar on Left Ventricular Systolic Wall Thickening During Intravenous *Dobutamine* Administration, 495

Effect of Transcatheter Atrial Septal Defect Closure in Children on Left Ventricular Diastolic Function, 1255

Effectiveness of Echocardiographic Imaging by Nurses to Identify Left Ventricular Systolic Dysfunction in High-Risk Patients, 1271

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E/E'), 1020

Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521

Evaluation of Left Ventricular Dimensions and Function in Marfan's Syndrome Without Significant Valvular Regurgitation, 795

Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population), 1487

Left Ventricular Function in Children With Sleep-Disordered Breathing, 801

Left Ventricular Function in Patients With Type 2 Diabetes Mellitus, 798

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Mechanism of Spaceflight-Induced Changes in Left Ventricular Mass, 1128

A New Simple Method to Assess Global Left Ventricular Systolic Function Based on the Sum of Regional Myocardial Infarction, 550

Noninvasive Coronary Imaging and Assessment of Left Ventricular Function Using 16-Slice Computed Tomography, 571

Prevalence of Left Ventricular Diastolic Dysfunction in Obese Persons With and Without Diabetes Mellitus, 1527

Relation of Aneurysmectomy in Patients With Advanced Left Ventricular Remodeling to Postoperative Left Ventricular Filling Pressure, Redilatation With Ischemic Mitral Regurgitation, 517

Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626

Significance and Relation Between Magnitude of Left Ventricular Hypertrophy and Heart Failure Symptoms in Hypertrophic Cardiomyopathy, 1329

Usefulness of Latent Left Ventricular Dysfunction Assessed by Bowditch Treppe to Predict Stress-Induced Pulmonary Hypertension in Minimally Symptomatic Severe Mitral Regurgitation Secondary to Mitral Valve Prolapse, 414

Usefulness of Plasma Brain-Type Natriuretic Peptide Level to Differentiate Left Ventricular Diastolic Dysfunction from Preserved Diastolic Function in Patients With Systolic Dysfunction, 1383

Usefulness of Tissue Doppler Imaging for Estimation of Left Ventricular Filling Pressures in Patients With Systolic and Diastolic Heart Failure, 892

Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039

Left Ventricular Noncompaction

Usefulness of Contrast Echocardiography for Diagnosis of Left Ventricular Noncompaction, 1130

Lesions

In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757

Intravascular Ultrasound Assessment of Lesions With Target Vessel Failure After Sirolimus-Eluting Stent Implantation, 498

Leukocytes. See White Blood Cell Count

Levosimendan

Efficacy and Safety of Intermittent, Long-Term, Concomitant *Dobutamine* and *Levosimendan* Infusions in Severe Heart Failure Refractory to *Dobutamine* Alone, 768

Lifestyle Changes

Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187

Light-Chain Amyloidosis

Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538

Lipid Treatment Rates

Estimating Cholesterol Treatment Rates Among Individuals With Multiple Risk Factors and Without Coronary Heart Disease, 862

Lipids. See also Cholesterol

Effect of Docosahexaenoic Acid on Lipoprotein Subclasses in Hyperlipidemic Children (the EARLY Study), 869

Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187

Lipid Management in Patients With Unstable Angina Pectoris and Non-ST-Segment Elevation Acute Myocardial Infarction (from CRUSADE), 483

Predicting Coronary Heart Disease Risk Using Multiple Lipid Measures, 986

Predictors of Low-Density Lipoprotein Particle Size in a High-Risk African-American Population, 1320

Lipopolysaccharide

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor- α Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Lipoprotein-Associated Phospholipase A₂

Effect of Low-Density Lipoprotein Apheresis on Lipoprotein-Associated Phospholipase A₂, 1246

Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With Coronary Heart Disease Versus Control Subjects, 1025

Lipoproteins

Comparison of the Relation of Triglyceride-Rich Lipoproteins and Muscular Artery Compliance in Healthy Women Versus Healthy Men, 1049

LIPS Study

Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445

Liver Transplantation

Effect of Cirrhosis and Liver Transplantation on the Gender Difference in QT Interval, 691

Lost to Follow-Up. See Outcomes

Lovastatin

Frequency of Myopathy in Patients Receiving *Lovastatin*, 983

Low-Density Lipoproteins. See Cholesterol

Lupus Erythematosus

Valvular Heart Disease as a Cause of Cerebrovascular Disease in Patients With Systemic Lupus Erythematosus, 1441

MADIT II Population

Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population), 1487

Magnetic Resonance Imaging

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Effects of Metallic Implants on Magnetic Resonance Imaging Evaluation of Fontan Palliation, 688

Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 1507

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Usefulness of Real-Time Navigator Magnetic Resonance Imaging for Evaluating Coronary Artery Origins in Pediatric Patients, 679

Which Parameters on Magnetic Resonance Imaging Determine Q Waves on the Electrocardiogram?, 925

Males. See Men

Malignancy

Relation of Acute Pericardial Disease to Malignancy, 1393

Mapping

Characterization of Hibernating Myocardium With NOGA Electroanatomic Endocardial Mapping, 722

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

Marfan Syndrome

Comparison of Aortic Stiffness in Patients With Juvenile Forms of Ascending Aortic Dilation With Versus Without Marfan's Syndrome, 996

Evaluation of Left Ventricular Dimensions and Function in Marfan's Syndrome Without Significant Valvular Regurgitation, 795

Usefulness of *Enalapril* Versus *Propranolol* or *Atenolol* for Prevention of Aortic Dilation in Patients With the Marfan Syndrome, 1125

Matrix Metalloproteinases

Matrix Metalloproteinases and Their Inhibitors in Malignant and Autoreactive Pericardial Effusion, 1065

MDCT

Ability for Visualization, Reasons for Nonassessable Image, and Diagnostic Accuracy of 16-Slice Multidetector Row Helical Computed Tomography for the Assessment of the Entire Coronary Arteries, 1076

Medicare

Epidemiology of Pacemaker Procedures Among Medicare Enrollees in 1990, 1995, and 2000, 409

Meditation

Long-Term Effects of Stress Reduction on Mortality in Persons ≥ 55 Years of Age With Systemic Hypertension, 1060

Men. See also Gender

Comparison of Treatment Benefit and Outcome in Women Versus Men With Chronic Heart Failure (from the Valsartan Heart Failure Trial), 529

Correlation Between Apoptotic Endothelial Microparticles and Serum Interleukin-6 and C-Reactive Protein in Healthy Men, 1258

Effect of Selective Cyclooxygenase-2 Inhibitors on Heart Rate in Healthy, Young Men, 1531

Relation Between Actual Heart Rate and Autonomic Effects of Beta Blockade in Healthy Men, 999

Meta-analysis

Do Elderly Systolic Heart Failure Patients Benefit from Beta Blockers to the Same Extent as the Non-Elderly? Meta-Analysis of $>12,000$ Patients in Large-Scale Clinical Trials, 896

Drug-Eluting Stents Versus Bare Metal Stents in Percutaneous Coronary Interventions (A Meta-Analysis), 1146

Meta-Analysis Comparing Drug-Eluting Stents With Bare Metal Stents, 640

Meta-Analysis of Survival and Relief of Angina Pectoris After Transmyocardial Revascularization, 1243

Metabolic Syndrome

Association of Metabolic Syndrome With Exercise Capacity and Heart Rate Recovery in Patients With Coronary Heart Disease in the Heart and Soul Study, 1175

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Relation of the Metabolic Syndrome to Calcified Atherosclerotic Plaque in the Coronary Arteries and Aorta, 1180

Metallic Implants

Effects of Metallic Implants on Magnetic Resonance Imaging Evaluation of Fontan Palliation, 688

Methadone

Impact of *Methadone* Treatment on Cardiac Repolarization and Conduction in Opioid Users, 915

Methionine

Effect of Hyperhomocysteinemia Induced by *Methionine* Administration on Flow-Mediated Dilatation of the Brachial Artery in Healthy Subjects, 428

Methylenetetrahydrofolate Reductase Genotypes

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylenetetrahydrofolate Reductase Genotypes, 1420

Metoprolol

Long-Term Effects of *Carvedilol* or *Metoprolol* on Left Ventricular Function in Ischemic and Nonischemic Cardiomyopathy, 1114

Mitral Annular Calcium

Relation of Decreased Ankle-Brachial Index to Prevalence of Atherosclerotic Risk Factors, Coronary Artery Disease, Aortic Valve Calcium, and Mitral Annular Calcium, 1005

Mitral Commissurotomy

Feasibility, Safety, and Morphologic Predictors of Outcome of Repeat Percutaneous Balloon Mitral Commissurotomy, 989

Mitral Regurgitation

Relation of Aneurysmectomy in Patients With Advanced Left Ventricular Remodeling to Postoperative Left Ventricular Filling Pressure, Redilatation With Ischemic Mitral Regurgitation, 517

Severe Regurgitation Immediately After Replacement of a Dysfunctional Bioprosthesis in the Mitral Valve Position, 703

Usefulness of Latent Left Ventricular Dysfunction Assessed by Bowditch Treppe to Predict Stress-Induced Pulmonary Hypertension in Minimally Symptomatic Severe Mitral Regurgitation Secondary to Mitral Valve Prolapse, 414

Mitral Stenosis

Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496

Mitral Valve

Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496

Mitral Valve Morphology and Morbidity/Mortality in Shane's Complex, 541

Severe Regurgitation Immediately After Replacement of a Dysfunctional Bioprosthesis in the Mitral Valve Position, 703

Mitral Valve Clefts

Echocardiographic Differentiation of Atrioventricular Septal Defects from Inlet Ventricular Septal Defects and Mitral Valve Clefts, 607

Mitral Valve Prolapse

Usefulness of Latent Left Ventricular Dysfunction Assessed by Bowditch Treppe to Predict Stress-Induced Pulmonary Hypertension in Minimally Symptomatic Severe Mitral Regurgitation Secondary to Mitral Valve Prolapse, 414

Mobile Cardiac Outpatient Telemetry (MCOT)

First Experience With a Mobile Cardiac Outpatient Telemetry (MCOT) System for the Diagnosis and Management of Cardiac Arrhythmia, 879

Monitored Atherosclerosis Regression Study

Relation of Progression of Coronary Artery Atherosclerosis to Risk of Cardiovascular Events (from the Monitored Atherosclerosis Regression Study), 1277

Monitoring

First Experience With a Mobile Cardiac Outpatient Telemetry (MCOT) System for the Diagnosis and Management of Cardiac Arrhythmia, 879

Monolithic Fetal Pacemaker

Ultrasonic Biophysical Measurements in the Normal Human Fetus for Optimal Design of the Monolithic Fetal Pacemaker, 1267

Monteplase

Long-Term Benefits of *Monteplase* Before Coronary Angioplasty in Acute Myocardial Infarction, 506

Mortality. See also Sudden Death; Survival

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Association of Right Ventricular Dysfunction With In-Hospital Mortality in Patients With Acute Pulmonary Embolism and Reduction in Mortality in Patients With Right Ventricular Dysfunction by Pulmonary Embolectomy, 695

Do Elderly Systolic Heart Failure Patients Benefit from Beta Blockers to the Same Extent as the Non-Elderly? Meta-Analysis of >12,000 Patients in Large-Scale Clinical Trials, 896

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

Heart Rate Response During *Dipyridamole* Stress as a Predictor of Mortality in Patients With Normal Myocardial Perfusion and Normal Electrocardiograms, 1159

Long-Term Effects of Stress Reduction on Mortality in Persons ≥ 55 Years of Age With Systemic Hypertension, 1060

Mitral Valve Morphology and Morbidity/Mortality in Shane's Complex, 541

Relation of Interhospital Delay and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Transferred for Primary Coronary Angioplasty, 1361

Relation of Myocardial Perfusion to Mortality After Primary Percutaneous Coronary Intervention, 980

Relation of QT_c Duration Heterogeneity to Mortality Following Orthotopic Heart Transplantation, 431

ST-Segment Depression on the Initial Electrocardiogram in Acute Myocardial Infarction—Prognostic Significance and Its Effect on Short-Term Mortality: A Report from the National Registry of Myocardial Infarction (NMRI-2, 3, 4), 843

Statin Use and Risks of Death or Fatal Rejection in the Heart Transplant Lipid Registry, 367

Trends in Mortality Attributed to Heart Failure in Worcester, Massachusetts, 1992 to 2001, 1324

Usefulness of Relative Lymphocyte Count as an Independent Predictor of Death/Urgent Transplant in Heart Failure, 1492

Multidetector Row Computed Tomography

Cardiac Multidetector-Row Computed Tomography in Patients With Unstable Angina, 457

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Multinational Global Registry of Acute Coronary Events

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

Multislice Computed Tomography

Assessment of Coronary Artery Abnormalities by Multislice Spiral Computed Tomography in Adolescents and Young Adults With Kawasaki Disease, 522

Follow-Up of Coronary Artery Bypass Graft Patency by Multislice Computed Tomography, 1094

Impact of Coronary Calcium Score on Diagnostic Accuracy for the Detection of Significant Coronary Stenosis With Multislice Computed Tomography Angiography, 1225

Noninvasive Assessment of Coronary Plaque Burden Using Multislice Computed Tomography, 1165

Multivessel Disease

Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439

Murmurs

Usefulness of a New Sound Spectral Averaging Technique to Distinguish an Innocent Systolic Murmur from That of Aortic Stenosis, 902

Mustard Operation

Effectiveness of Transvenous Pacemaker Leads Placed Through Intravascular Stents in Patients With Congenital Heart Disease, 424

Mutations. See Gene Mutations

Myocardial Damage

Circulating Levels of Heart-Type Fatty Acid-Binding Protein and Its Relation to Thallium-201 Perfusion Defects in Patients With Hypertrophic Cardiomyopathy, 1334

Myocardial Infarction

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Angiographic and Clinical Outcomes Associated With Direct Versus Conventional Stenting Among Patients With Fibrinolytic Therapy for ST-Elevation Acute Myocardial Infarction, 383

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With

ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Association of Height With Outcomes in Patients With Acute Myocardial Infarction Receiving Reperfusion Therapy, 1371

Characterization of Myocardial Infarction as an End Point in Two Large Trials of Acute Coronary Syndromes, 1404

Classification of Systemic Therapies for Potential Stabilization of the Vulnerable Plaque to Prevent Acute Myocardial Infarction, 379

Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375

Comparison of ST-Segment Resolution With Combined Fibrinolytic and Glycoprotein IIb/IIIa Inhibitor Therapy Versus Fibrinolytic Alone (Data from Four Clinical Trials), 611

Comparison of the Cardioprotective Effect of Proximal Angina Pectoris and Collateral Circulation in Patients With a First Anterior Wall Acute Myocardial Infarction, 622

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Compliance as a Critical Consideration in Patients Who Appear to Be Resistant to Aspirin After Healing of Myocardial Infarction, 973

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502

Effect of Early Initiation of Statins on Survival in Patients With Acute Myocardial Infarction (the USC 2000 Registry), 486

Effects of Nitric Oxide Donor Nitroprusside on No-Reflow Phenomenon During Coronary Interventions for Acute Myocardial Infarction, 1358

Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558

In-Hospital and Long-Term Outcomes of Multivessel Percutaneous Coronary Revascularization After Acute Myocardial Infarction, 349

Influence of Reperfusion Therapy on Prognosis in Patients Aged ≥ 89 Years With Acute Myocardial Infarction, 1232

Lipid Management in Patients With Unstable Angina Pectoris and Non-ST-Segment Elevation Acute Myocardial Infarction (from CRUSADE), 483

Long-Term Benefits of *Monteplase* Before Coronary Angioplasty in Acute Myocardial Infarction, 506

Myocardial Salvage in Patients With Non-ST-Elevation Myocardial Infarction Determined by Myocardial Perfusion Imaging, 398

A New Simple Method to Assess Global Left Ventricular Systolic Function Based on the Sum of Regional Myocardial Infarction, 550

Plasma Asymmetric *Dimethylarginine* Concentrations in Newly Diagnosed Patients With Acute Myocardial Infarction or Unstable Angina Pectoris During Two Weeks of Medical Treatment, 279

Prognostic Significance of *Simvastatin* Therapy in Patients With Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention for Acute Myocardial Infarction, 619

Prognostic Usefulness of White Blood Cell Count and Temperature in Acute Myocardial Infarction (from the CARDINAL Trial), 614

Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343

Relation of Interhospital Delay and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Transferred for Primary Coronary Angioplasty, 1361

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

Risk Factors, Echocardiographic Patterns, and Outcomes in Patients With Acute Ventricular Septal Rupture During Myocardial Infarction, 1153

Safety and Effectiveness of Transdermal Nicotine Patch in Smokers Admitted With Acute Coronary Syndromes, 976

ST-Segment Depression on the Initial Electrocardiogram in Acute Myocardial Infarction—Prognostic Significance and Its Effect on Short-Term Mortality: A Report from the National Registry of Myocardial Infarction (NMR-1, 2, 3, 4), 843

Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase After Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 514

Usefulness of Real-Time Myocardial Perfusion Imaging to Evaluate Tissue Level Reperfusion in Patients With Non-ST-Elevation Myocardial Infarction, 1033

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Which Parameters on Magnetic Resonance Imaging Determine Q Waves on the Electrocardiogram?, 925

Myocardial Injury

Effect of Both Elevated Troponin-I and Peripheral White Blood Cell Count on Prognosis in Patients With Suspected Myocardial Injury, 970

Myocardial Ischemia

Association of Endothelin-1 With Transient Myocardial Ischemia in Patients With Unstable Angina Pectoris, 492

Comparison of Mental Stress-Induced Myocardial Ischemia in Coronary Artery Disease Patients With Versus Without Left Ventricular Dysfunction, 322

Family History, Plasma Homocysteine, and Age of Onset of Symptoms of Myocardial Ischemia in Patients With Different Methylene tetrahydrofolate Reductase Genotypes, 1420

Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Coronary Artery Disease

and Relation to Clinical Presentation, Angiographic Severity, and Left Ventricular Ejection Fraction, 553

Prevalence of Silent Myocardial Ischemia in Persons With Diabetes Mellitus or Impaired Glucose Tolerance and Association of Hemoglobin A_{1c} With Prevalence of Silent Myocardial Ischemia, 1472

Usefulness of Left Atrial Emptying Fraction to Predict Exercise Capacity in Patients With Normal Systolic Left Ventricular Function and Without Myocardial Ischemia, 1014

Myocardial Perfusion

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Brachial Artery Flow-Mediated Dilatation and Myocardial Perfusion in Patients With Cardiac Syndrome X, 1478

Comparison of Low-Mechanical Index Pulse Sequence Schemes for Detecting Myocardial Perfusion Abnormalities During Vasodilator Stress Echocardiography, 565

Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375

Heart Rate Response During *Dipyridamole* Stress as a Predictor of Mortality in Patients With Normal Myocardial Perfusion and Normal Electrocardiograms, 1159

Myocardial Salvage in Patients With Non-ST-Elevation Myocardial Infarction Determined by Myocardial Perfusion Imaging, 398

Prognostic Value of Combined Perfusion and Function by Stress Technetium-99m Sestamibi Gated SPECT Myocardial Perfusion Imaging in Patients with Suspected or Known Coronary Artery Disease, 1351

Relation of Myocardial Perfusion to Mortality After Primary Percutaneous Coronary Intervention, 980

Usefulness of Myocardial Perfusion Echocardiography to Identify Obstructive Coronary Artery Disease in Patients With Abnormal Ventricular Septal Motion, 852

Myocardial Scar

Effect of the Transmural Extent of Myocardial Scar on Left Ventricular Systolic Wall Thickening During Intravenous *Dobutamine* Administration, 495

Myocardial Viability

Myocardial Technetium-99m-Tetrofosmin Compared With 18F-Fluorodeoxyglucose Imaging to Assess Myocardial Viability, 1223

Myocarditis

Comparison of Clinical Presentation of Acute Myocarditis Following Smallpox Vaccination to Acute Coronary Syndromes in Patients <40 Years of Age, 1252

Myopathy. See also Cardiomyopathy

Effect of Resistance Exercise on Skeletal Muscle Myopathy in Heart Transplant Recipients, 1192

Frequency of Myopathy in Patients Receiving *Lovastatin*, 983

Myosin

Effect of Triiodothyronine on Gene Transcription During Cardiopulmonary Bypass in Infants With Ventricular Septal Defect, 787

N-Terminal ProBNP

The N-Terminal Pro-BNP Investigation of Dyspnea in the Emergency Department (PRIDE) Study, 948

Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Coronary Artery Disease and Relation to Clinical Presentation, Angiographic Severity, and Left Ventricular Ejection Fraction, 553

Natriuretic Peptides

B-Type Natriuretic Peptide Levels in Adults With Congenital Heart Disease and Right Ventricular Failure, 545

Comparison of Brain Natriuretic Peptide and Left Ventricular Diastolic Function Determined by Tissue Doppler in Patients With Diabetes Mellitus, Patients With Hypertension Without Diabetes, and in Healthy Subjects, 905

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Contribution of Left Ventricular Diastolic Dysfunction to Heart Failure Regardless of Ejection Fraction, 603

Plasma Levels of N-Terminal Pro-Brain Natriuretic Peptide in Patients With Coronary Artery Disease and Relation to Clinical Presentation, Angiographic Severity, and Left Ventricular Ejection Fraction, 553

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Plasma B-Type Natriuretic Peptide to Identify Ventricular Dysfunction in Pediatric and Adult Patients With Congenital Heart Disease, 474

Usefulness of Plasma Brain-Type Natriuretic Peptide Level to Differentiate Left Ventricular Diastolic Dysfunction from Preserved Diastolic Function in Patients With Systolic Dysfunction, 1383

Usefulness of Serial Measurement of N-Terminal Pro-Brain Natriuretic Peptide Plasma Levels in Asymptomatic Patients With Aortic Stenosis to Predict Symptomatic Deterioration, 898

Value of B-Type Natriuretic Peptide for Identifying Significantly Elevated Pulmonary Artery Wedge Pressure in Patients Treated for Established Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy, 883

NEFA (Nonesterified Fatty Acids)

Influence of Extended-Release Nicotinic Acid on Nonesterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309

Neutrophil-Platelet Aggregates

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Nicotine

Safety and Effectiveness of Transdermal Nicotine Patch in Smokers Admitted With Acute Coronary Syndromes, 976

Nicotinic Acid

Influence of Extended-Release Nicotinic Acid on Nonesterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309

Nifedipine

Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235

Nitrates

Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327

Nitric Oxide

Effects of Nitric Oxide Donor Nitroprusside on No-Reflow Phenomenon During Coronary Interventions for Acute Myocardial Infarction, 1358

Relation of Basal Coronary Nitric Oxide Activity to the Burden of Atherosclerosis, 1170

Nitroprusside

Effects of Nitric Oxide Donor Nitroprusside on No-Reflow Phenomenon During Coronary Interventions for Acute Myocardial Infarction, 1358

No Reflow

Effects of Nitric Oxide Donor Nitroprusside on No-Reflow Phenomenon During Coronary Interventions for Acute Myocardial Infarction, 1358

Nonischemic Cardiomyopathy. See Cardiomyopathy

Noradrenaline

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor- α Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Nurses

Effectiveness of Echocardiographic Imaging by Nurses to Identify Left Ventricular Systolic Dysfunction in High-Risk Patients, 1271

Nuts

Cardiovascular Benefits of Nuts, 963

NYHA Class

Implantable Cardioverter-Defibrillator Efficacy in Patients With Heart Failure and Left Ventricular Dysfunction (from the MADIT II Population), 1487

Obesity. See also Body Mass Index

Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521

Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

Prevalence of Left Ventricular Diastolic Dysfunction in Obese Persons With and Without Diabetes Mellitus, 1527

Obstructive Hypertrophic Cardiomyopathy. See Cardiomyopathy

Octogenarians. See also Elderly

Early and Late Results of Isolated and Combined Heart Valve Surgery in Patients ≥ 80 Years of Age, 1500

Quality of Life in Octogenarians After Coronary Artery Bypass Grafting, 761

OGTT (Oral Glucose Tolerance Test)

Influence of Extended-Release Nicotinic Acid on Non-esterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309

Omapatrilat

Antianginal Efficacy of *Omapatrilat* in Patients With Chronic Angina Pectoris, 1283

Opioid Users

Impact of *Methadone* Treatment on Cardiac Repolarization and Conduction in Opioid Users, 915

Oral Glucose Tolerance Test (OGTT)

Influence of Extended-Release Nicotinic Acid on Non-esterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309

Outcomes

Angiographic and Clinical Outcomes Associated With Direct Versus Conventional Stenting Among Patients With Fibrinolytic Therapy for ST-Elevation Acute Myocardial Infarction, 383

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Association of Height With Outcomes in Patients With Acute Myocardial Infarction Receiving Reperfusion Therapy, 1371

Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644

A Comparison of the AVID and DAVID Trials of Implantable Defibrillators, 1431

Comparison of Treatment Benefit and Outcome in Women Versus Men With Chronic Heart Failure (from the Valsartan Heart Failure Trial), 529

Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290

Early and Late Results of Isolated and Combined Heart Valve Surgery in Patients ≥ 80 Years of Age, 1500

Effect of Early Initiation of Statins on Survival in Patients With Acute Myocardial Infarction (the USIC 2000 Registry), 486

Effect of Gender on Treatment, Resource Utilization, and Outcomes in Congestive Heart Failure in Quebec, Canada, 955

Importance of the Postdischarge Interval in Assessing Major Adverse Clinical Event Rates Following Percutaneous Coronary Intervention, 1135

In-Hospital and Long-Term Outcomes of Multivessel Percutaneous Coronary Revascularization After Acute Myocardial Infarction, 349

In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757

Intravascular Ultrasound Stent Area of Sirolimus-Eluting Stents and Its Impact on Late Outcome, 1240

Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445

Long-Term Follow-Up of Patients With Obstructive Hypertrophic Cardiomyopathy Treated With Dual-Chamber Pacing, 991

Long-Term Outcome of Patients Undergoing Balloon Mitral Valvotomy in Pregnancy, 1504

Meta-Analysis Comparing Drug-Eluting Stents With Bare Metal Stents, 640

Outcome of Operated and Unoperated Adults With Congenital Cardiac Disease Lost to Follow-Up for More Than Five Years, 776

Outcomes Following Elective Percutaneous Coronary Intervention Without On-Site Surgical Backup in a Community Hospital, 1091

A "Poly-Portfolio" for Secondary Prevention: A Strategy to Reduce Subsequent Events By Up to 97% Over Five Years, 373

Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343

Risk Factors, Echocardiographic Patterns, and Outcomes in Patients With Acute Ventricular Septal Rupture During Myocardial Infarction, 1153

Success, Safety, and Mechanisms of Failure of Percutaneous Coronary Intervention for Occlusive Non-Drug-Eluting In-Stent Restenosis Versus Native Artery Total Occlusion, 1462

Usefulness of Plasma B-Type Natriuretic Peptide to Identify Ventricular Dysfunction in Pediatric and Adult Patients With Congenital Heart Disease, 474

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Overestimation

A Comparison of Death Certificate Out-of-Hospital Coronary Heart Disease Death With Physician-Adjudicated Sudden Cardiac Death, 857

Oxidative Stress

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Oxygen Consumption

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Pacing

Digital Technology for Cardiac Pacing, 479

Echocardiographic Examination of Atrioventricular and Interventricular Delay Optimization in Cardiac Resynchronization Therapy, 1108

Effect of Chronic Right Ventricular Apical Pacing on Left Ventricular Function, 771

- Effectiveness of Transvenous Pacemaker Leads Placed Through Intravascular Stents in Patients With Congenital Heart Disease, 424
- Epidemiology of Pacemaker Procedures Among Medicare Enrollees in 1990, 1995, and 2000, 409
- Long-Term Follow-Up of Patients With Obstructive Hypertrophic Cardiomyopathy Treated With Dual-Chamber Pacing, 991
- Minimizing Right Ventricular Pacing, 966
- Permanent Pacing Is a Risk Factor for the Development of Heart Failure, 671
- Predictors of Lack of Response to Resynchronization Therapy, 1436
- Ultrasonic Biophysical Measurements in the Normal Human Fetus for Optimal Design of the Monolithic Fetal Pacemaker, 1267
- Paradoxical Embolism**
- Evidence for Increasing Patency of the Foramen Ovale in Divers, 912
- Patent Foramen Ovale**
- Evidence for Increasing Patency of the Foramen Ovale in Divers, 912
- Pediatrics**
- Assessment of Coronary Artery Abnormalities by Multislice Spiral Computed Tomography in Adolescents and Young Adults With Kawasaki Disease, 522
- Comparison of Aortic Stiffness in Patients With Juvenile Forms of Ascending Aortic Dilatation With Versus Without Marfan's Syndrome, 996
- Comparison of Upright and Semi-Recumbent Postures for Exercise Echocardiography in Healthy Children, 918
- Effect of Lifestyle Changes on Atherogenic Lipids and Endothelial Cell Adhesion Molecules in Young Adults With Familial Premature Coronary Heart Disease, 1187
- Effect of Transcatheter Atrial Septal Defect Closure in Children on Left Ventricular Diastolic Function, 1255
- Impact of Multiple Cardiovascular Risk Factors on Femoral Artery Intima-Media Thickness in Asymptomatic Young Adults (The Bogalusa Heart Study), 469
- Left Ventricular Function in Children With Sleep-Disordered Breathing, 801
- Mutations in the HERG K⁺-Ion Channel: A Novel Link Between Long QT Syndrome and Sudden Infant Death Syndrome, 433
- Prevalence of T-Wave Inversion Beyond V₁ in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070
- Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626
- Ultrasonic Biophysical Measurements in the Normal Human Fetus for Optimal Design of the Monolithic Fetal Pacemaker, 1267
- Usefulness of Plasma B-Type Natriuretic Peptide to Identify Ventricular Dysfunction in Pediatric and Adult Patients With Congenital Heart Disease, 474
- Usefulness of Real-Time Navigator Magnetic Resonance Imaging for Evaluating Coronary Artery Origins in Pediatric Patients, 679
- Utility of Cardiopulmonary Stress Testing in Assessing Disease Severity in Children With Pulmonary Arterial Hypertension, 697
- Percutaneous Amplatzer Closure**
- Effect on Right Ventricular Volume of Percutaneous Amplatzer Closure of Atrial Septal Defect in Adults, 993
- Percutaneous Balloon Mitral Commissurotomy**
- Feasibility, Safety, and Morphologic Predictors of Outcome of Repeat Percutaneous Balloon Mitral Commissurotomy, 989
- Percutaneous Coronary Intervention. See also Angioplasty**
- Bivalirudin* Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581
- Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644
- Comparison of Effectiveness of Sirolimus-Eluting Stents Versus Bare Metal Stents for Percutaneous Coronary Intervention in Patients at High Risk for Coronary Restenosis or Clinical Adverse Events, 1409
- Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatide* or *Tirofiban* (The ACTION Trial), 1295
- Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375
- Drug-Eluting Stents Versus Bare Metal Stents in Percutaneous Coronary Interventions (A Meta-Analysis), 1146
- Effect of Chronic Total Coronary Occlusion on Treatment Strategy, 1088
- Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502
- Effect of *Nifedipine* on C-Reactive Protein Levels in the Coronary Sinus and on Coronary Blood Flow in Response to *Acetylcholine* in Patients With Stable Angina Pectoris Having Percutaneous Coronary Intervention, 1235
- Effectiveness and Safety of *Bivalirudin* During Percutaneous Coronary Intervention in a Single Medical Center, 716
- Importance of the Postdischarge Interval in Assessing Major Adverse Clinical Event Rates Following Percutaneous Coronary Intervention, 1135
- Incidence of Antiplatelet Factor 4/*Heparin* Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744
- Influence of Vessel Diameter on the Efficacy of Distal Protection Devices During Saphenous Vein Graft Intervention, 651
- Inhibition of Platelet Aggregation With *Eptifibatide*, *Bivalirudin*, and *Heparin* in Patients Undergoing Percutaneous Coronary Intervention Receiving *Clopidogrel* Pretreatment (The Pharmacodynamic Evaluation of Angiomax, Clopidogrel With Or Without Integridin [DEACON] Study), 1453
- Outcomes Following Elective Percutaneous Coronary Intervention Without On-Site Surgical Backup in a Community Hospital, 1091
- Prognostic Significance of *Simvastatin* Therapy in Patients With Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention for Acute Myocardial Infarction, 619
- Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343
- Relation of Myocardial Perfusion to Mortality After Primary Percutaneous Coronary Intervention, 980
- Relation of the Use of Lipid-Lowering Medications Prior to Percutaneous Coronary Intervention to the Incidence of Intraprocedural Adverse Angiographic Events, 978
- Risk of Thrombosis With the Use of Sirolimus-Eluting Stents for Percutaneous Coronary Intervention (from Registry and Clinical Trial Data), 1469
- Usefulness of Noncoronary Vascular Disease in Predicting Adverse Events in the Year Following Percutaneous Coronary Intervention, 575
- Percutaneous Coronary Revascularization**
- In-Hospital and Long-Term Outcomes of Multivessel Percutaneous Coronary Revascularization After Acute Myocardial Infarction, 349
- Pericardial Effusion**
- Matrix Metalloproteinases and Their Inhibitors in Malignant and Autoreactive Pericardial Effusion, 1065
- Pericarditis**
- Relation of Acute Pericardial Disease to Malignancy, 1393
- Peripheral Artery Stiffness**
- Comparison of the Relation of Triglyceride-Rich Lipoproteins and Muscular Artery Compliance in Healthy Women Versus Healthy Men, 1049
- Peripheral Vascular Disease**
- Usefulness of Noncoronary Vascular Disease in Predicting Adverse Events in the Year Following Percutaneous Coronary Intervention, 575
- Phospholipase A₂**
- Effect of Low-Density Lipoprotein Apheresis on Lipoprotein-Associated Phospholipase A₂, 1246
- Placebo Effect**
- Longevity of the Placebo Effect in the Therapeutic Angiogenesis and Laser Myocardial Revascularization Trials in Patients With Coronary Heart Disease, 1456
- Plaque. See also Atherosclerosis**
- Classification of Systemic Therapies for Potential Stabilization of the Vulnerable Plaque to Prevent Acute Myocardial Infarction, 379
- Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355
- Noninvasive Assessment of Coronary Plaque Burden Using Multislice Computed Tomography, 1165

Relation of CD39 to Plaque Instability and Thrombus Formation in Directional Atherectomy Specimens from Patients With Stable and Unstable Angina Pectoris, 632

Relation of the Metabolic Syndrome to Calcified Atherosclerotic Plaque in the Coronary Arteries and Aorta, 1180

Plasma Brain Natriuretic Peptide. See Natriuretic Peptides

Platelet Glycoprotein IIb/IIIa Antagonist

Comparison of the Safety and Efficacy of Emboli Prevention Devices Versus Platelet Glycoprotein IIb/IIIa Inhibition During Carotid Stenting, 791

Platelets

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Compliance as a Critical Consideration in Patients Who Appear to Be Resistant to Aspirin After Healing of Myocardial Infarction, 973

Incidence of Antiplatelet Factor 4/Heparin Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744

Polyneuropathy

Comparison of the Strain Doppler Echocardiographic Features of Familial Amyloid Polyneuropathy (FAP) and Light-Chain Amyloidosis, 538

Do Statins Increase the Risk of Idiopathic Polyneuropathy?, 1097

Postdischarge Interval

Importance of the Postdischarge Interval in Assessing Major Adverse Clinical Event Rates Following Percutaneous Coronary Intervention, 1135

Posture

Comparison of Upright and Semi-Recumbent Postures for Exercise Echocardiography in Healthy Children, 918

Pravastatin

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Pregnancy

Long-Term Outcome of Patients Undergoing Balloon Mitral Valvotomy in Pregnancy, 1504

Pressure Half-Time

Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496

Preventive Cardiology

Classification of Systemic Therapies for Potential Stabilization of the Vulnerable Plaque to Prevent Acute Myocardial Infarction, 379

Comparison of the Relation of Triglyceride-Rich Lipoproteins and Muscular Artery Compliance in Healthy Women Versus Healthy Men, 1049

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Impact of Dyslipidemia Associated With Highly Active Antiretroviral Therapy (HAART) on Cardiovascular Risk and Life Expectancy, 586

Impact of Multiple Cardiovascular Risk Factors on Femoral Artery Intima-Media Thickness in Asymptomatic Young Adults (The Bogalusa Heart Study), 469

Influence of Extended-Release Nicotinic Acid on Non-esterified Fatty Acid Flux in the Metabolic Syndrome With Atherogenic Dyslipidemia, 1309

A "Poly-Portfolio" for Secondary Prevention: A Strategy to Reduce Subsequent Events By Up to 97% Over Five Years, 373

Predictors of Low-Density Lipoprotein Particle Size in a High-Risk African-American Population, 1320

Utility of C-Reactive Protein Measurement in Risk Stratification During Primary Cardiovascular Disease Prevention, 1378

Prognosis

Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072

Effect of Both Elevated Troponin-I and Peripheral White Blood Cell Count on Prognosis in Patients With Suspected Myocardial Injury, 970

Impact of Nonfatal Myocardial Infarction on Outcomes in Patients With Advanced Heart Failure and the Effect of *Bucindolol* Therapy, 558

Influence of Reperfusion Therapy on Prognosis in Patients Aged ≥ 89 Years With Acute Myocardial Infarction, 1232

Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386

Prognostic Impact of Diabetes Mellitus in Patients With Acute Decompensated Heart Failure, 1117

Prognostic Usefulness of White Blood Cell Count and Temperature in Acute Myocardial Infarction (from the CARDINAL Trial), 614

Prognostic Value of Combined Perfusion and Function by Stress Technetium-99m Sestamibi Gated SPECT Myocardial Perfusion Imaging in Patients With Suspected or Known Coronary Artery Disease, 1351

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039

Proinflammatory Cytokines

Circulating Levels of Proinflammatory Cytokines and Neutrophil-Platelet Aggregates in Patients With Coronary Artery Disease, 452

Propagation Velocity

Comparison of Tissue Doppler and Propagation Velocity to Invasive Measures for Measuring Left Ventricular Filling Pressures, 1017

Propranolol

Usefulness of *Enalapril* Versus *Propranolol* or *Atenolol* for Prevention of Aortic Dilation in Patients With the Marfan Syndrome, 1125

Prospective Multicenter German Cypher Stent Registry

Incidence and Predictors of Target Vessel Revascularization and Clinical Events Rates of the Sirolimus-Eluting Coronary Stent (Results from the Prospective Multicenter German Cypher Stent Registry), 1302

Prothrombin

Relation of Interleukin-6 Levels and Prothrombin Fragment 1+2 to a Point-Based Score for Stroke Risk in Atrial Fibrillation, 881

Pulmonary Artery

Usefulness of Branch Pulmonary Artery Regurgitant Fraction to Estimate the Relative Right and Left Pulmonary Vascular Resistances in Congenital Heart Disease, 1514

Value of B-Type Natriuretic Peptide for Identifying Significantly Elevated Pulmonary Artery Wedge Pressure in Patients Treated for Established Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy, 883

Pulmonary Blood Flow

Usefulness of Branch Pulmonary Artery Regurgitant Fraction to Estimate the Relative Right and Left Pulmonary Vascular Resistances in Congenital Heart Disease, 1514

Pulmonary Disease

Use of *Amiodarone* for Atrial Fibrillation in Patients With Preexisting Pulmonary Disease in the AFFIRM Study, 1514

Pulmonary Embolism

Association of Right Ventricular Dysfunction With In-Hospital Mortality in Patients With Acute Pulmonary Embolism and Reduction in Mortality in Patients With Right Ventricular Dysfunction by Pulmonary Embolectomy, 695

Diagnosis of Right Ventricular Dysfunction in Acute Pulmonary Embolism Using Helical Computed Tomography, 1260

Trends in the Incidence of Pulmonary Embolism and Deep Venous Thrombosis in Hospitalized Patients, 1525

Pulmonary Hypertension

Utility of Cardiopulmonary Stress Testing in Assessing Disease Severity in Children With Pulmonary Arterial Hypertension, 697

Pulmonary Valve

Effects of Pulmonary Valve Replacement on QRS Duration and Right Ventricular Cavity Size Late After Repair of Right Ventricular Outflow Tract Obstruction, 1511

Optimal Timing for Pulmonary Valve Replacement in Adults After Tetralogy of Fallot Repair, 779

Pulmonary Veins

Anatomic Substrate, Procedural Results, and Clinical Outcome of Ultrasound-Guided Left Atrial-Pulmonary Vein Dissection for Treatment of Atrial Fibrillation, 871

Usefulness of Doppler Assessment of Pulmonary Vein and Left Atrial Appendage Flow Following Pulmonary Vein Isolation of Chronic Atrial Fibrillation in Predicting Recovery of Left Atrial Function, 941

Purple Foxglove

Digitalis Purpurea, 544

Q Waves

Which Parameters on Magnetic Resonance Imaging Determine Q Waves on the Electrocardiogram?, 925

QRS Duration

Effects of Pulmonary Valve Replacement on QRS Duration and Right Ventricular Cavity Size Late After Repair of Right Ventricular Outflow Tract Obstruction, 1511

Use of Cardiac Resynchronization Therapy to Optimize Beta-Blocker Therapy in Patients With Heart Failure and Prolonged QRS Duration, 889

Usefulness of Prolonged QRS Duration to Identify High-Risk Ischemic Cardiomyopathy Patients With Syncope and Inducible Ventricular Tachycardia, 391

QRS Wave

Effect of Serum Albumin on QRS Wave Amplitude in Patients Free of Heart Disease, 789

QT Dynamicity

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

QT Interval

Effect of Cirrhosis and Liver Transplantation on the Gender Difference in QT Interval, 691

Relation of QT_c Duration Heterogeneity to Mortality Following Orthotopic Heart Transplantation, 431

QT Prolongation

Impact of *Methadone* Treatment on Cardiac Repolarization and Conduction in Opioid Users, 915

QT Syndrome, Long

Heart Rate Influences on Repolarization Duration and Morphology in Symptomatic Versus Asymptomatic KCNQ1 Mutation Carriers, 406

Mutations in the HERG K⁺-Ion Channel: A Novel Link Between Long QT Syndrome and Sudden Infant Death Syndrome, 433

Quality of Life

Quality of Life in Octogenarians After Coronary Artery Bypass Grafting, 761

RACE Study

Influence of the Randomized Trials, AFFIRM and RACE, on the Management of Atrial Fibrillation in Two University Medical Centers, 1248

Radial Artery

Effectiveness of Ulnar Artery Catheterization After Failed Attempt to Cannulate a Radial Artery, 9034

Ramipril

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Ranolazine

Comparative Efficacy of *Ranolazine* Versus *Atenolol* for Chronic Angina Pectoris, 311

Readers' Comments

Angiotensin-Converting Enzyme Inhibitors and Myocardial Infarction: A Class Effect?, 924

Anticoagulation in Patients With Atrial Fibrillation and Congestive Heart Failure, 1533

Anti-Inflammatory Effects of *Levosimendan* in Decompensated Heart Failure: Impact on Weight Loss and Anemia, 923

Another View of Dr. Perloff's Personal Coronary Bypass Experience, 705

Are Improvements in Cardiac Function Due to Stem Cell Uptake and Engraftment?, 159

Atrial Fibrillation, the Prothrombotic State, Inflammation, and Gender, 819

Autologous Mesenchymal Stem Cell Transplantation After Acute Myocardial Infarction, 435

Cardiac Response to Prolonged Strenuous Exercise: A Physiologic Model for Stunning Myocardium, 707

Does Aortic Root Dilatation With Bicuspid Aortic Valves Occur as a Primary Tissue Abnormality or as a Relatively Benign Poststenotic Phenomenon?, 820

Fibrillation Cycle Length and Fibrillatory Rate Obtained from Peak Frequency of Fibrillation Waves, 1024

The Impact of Ethnicity on the Lifetime Risk of the Metabolic Syndrome and Diabetes Mellitus, 819

Initial Experience With *Bosentan* Therapy in Patients With the Eisenmenger Syndrome: Tetralogy of Fallot?, 435

Isaac Newton by James Gleick, 436

Is Left Ventricular Hypertrabeculation/Noncompaction Dependent on Ventricular Shape and Function?, 922

J Curve in Hypertension and Coronary Artery Disease, 160

Maternal Cardiac Arrhythmias During Labor, 435

Natriuretic Peptides in Sleep Apnea, 708

Postoperative Care of the Coronary Artery Bypass Patient, 706

Primary Ventricular Fibrillation Cannot Be Buried; It Never Died, 818

Steven Nissen, Linda Butler, and Three Gorges of Yangtze in China, 437

What About Statistical Confounding?, 1024

White Blood Cell Count and the Coronary Anatomy in Acute Coronary Events, 159

Yawning for an Answer, 437

Reflow

Effects of Nitric Oxide Donor Nitroprusside on No-Reflow Phenomenon During Coronary Interventions for Acute Myocardial Infarction, 1358

Regional Dysfunction

Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 9027

Regurgitant Fraction. See also Aortic Regurgitation

Usefulness of Branch Pulmonary Artery Regurgitant Fraction to Estimate the Relative Right and Left Pulmonary Vascular Resistances in Congenital Heart Disease, 9029

Rehabilitation

Effectiveness of High-Intensity Interval Training for the Rehabilitation of Patients With Coronary Artery Disease, 1080

Remodeling

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Relation of Aneurysmectomy in Patients With Advanced Left Ventricular Remodeling to Postoperative Left Ventricular Filling Pressure, Redilatation With Ischemic Mitral Regurgitation, 517

Renal Failure. See also Kidneys

Prevalence of Valve Calcium and Association of Valve Calcium With Coronary Artery Disease, Atherosclerotic Vascular Disease, and All-Cause Mortality in 137 Patients Undergoing Hemodialysis for Chronic Renal Failure, 742

Renal Impairment. See also Kidneys

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445

Reperfusion

Association of Height With Outcomes in Patients With Acute Myocardial Infarction Receiving Reperfusion Therapy, 1371

Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375

Influence of Reperfusion Therapy on Prognosis in Patients Aged ≥ 89 Years With Acute Myocardial Infarction, 1232

Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase After Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 514

Usefulness of Real-Time Myocardial Perfusion Imaging to Evaluate Tissue Level Reperfusion in Patients With Non-ST-Elevation Myocardial Infarction, 1033

REPLACE-2 Trial

Bivalirudin Versus *Heparin* and Glycoprotein IIb/IIIa Inhibition Among Patients With Renal Impairment Undergoing Percutaneous Coronary Intervention (A Subanalysis of the REPLACE-2 Trial), 581

Repolarization

Heart Rate Influences on Repolarization Duration and Morphology in Symptomatic Versus Asymptomatic KCNQ1 Mutation Carriers, 406

Impact of *Methadone* Treatment on Cardiac Repolarization and Conduction in Opioid Users, 915

Usefulness of Ventricular Repolarization Dynamicity in Predicting Arrhythmic Deaths in Patients With Ischemic Cardiomyopathy (from the European Myocardial Infarct Amiodarone Trial), 821

Restenosis

Comparison of C-Reactive Protein Levels Before and After Coronary Stenting and Restenosis Among Patients Treated With Sirolimus-Eluting Versus Bare Metal Stents, 1238

Comparison of Effectiveness of Sirolimus-Eluting Stents Versus Bare Metal Stents for Percutaneous Coronary Intervention in Patients at High Risk for Coronary Restenosis or Clinical Adverse Events, 9003

Comparison of Thrombosis and Restenosis Risk from Stent Length of Sirolimus-Eluting Stents Versus Bare Metal Stents, 1140

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757

Influence of Stent Length to Lesion Length Ratio on Angiographic and Clinical Outcomes After Implantation of Bare Metal and Drug-Eluting Stents (the TAXUS-IV Study), 1043

A Novel Mechanism Explaining Early Lumen Loss Following Balloon Angioplasty for the Treatment of In-Stent Restenosis, 751

Success, Safety, and Mechanisms of Failure of Percutaneous Coronary Intervention for Occlusive Non-Drug-Eluting In-stent Restenosis Versus Native Artery Total Occlusion, 9014

Resynchronization

Echocardiographic Examination of Atrioventricular and Interventricular Delay Optimization in Cardiac Resynchronization Therapy, 1108

Effect of Cardiac Resynchronization Therapy on Inducibility of Ventricular Tachyarrhythmias in Cardiac Arrest Survivors With Either Ischemic or Idiopathic Dilated Cardiomyopathy, 1111

Monitoring of Physical Activity and Heart Rate Variability in Patients With Chronic Heart Failure Using Cardiac Resynchronization Devices, 1104

Predictors of Lack of Response to Resynchronization Therapy, 9008

Use of Cardiac Resynchronization Therapy to Optimize Beta-Blocker Therapy in Patients With Heart Failure and Prolonged QRS Duration, 889

Revascularization. See also Coronary Artery Bypass

Characterization of Hibernating Myocardium With NOGA Electroanatomic Endocardial Mapping, 722

Comparison of Effectiveness of Sirolimus-Eluting Stents Versus Bare Metal Stents for Percutaneous Coronary Intervention in Patients at High Risk for Coronary Restenosis or Clinical Adverse Events, 1409

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation Acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

Incidence and Predictors of Target Vessel Revascularization and Clinical Events Rates of the Sirolimus-Eluting Coronary Stent (Results from the Prospective Multicenter German Cypher Stent Registry), 1302

Incidence of Antiplatelet Factor 4/Heparin Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744

Longevity of the Placebo Effect in the Therapeutic Angiogenesis and Laser Myocardial Revascularization Trials in Patients With Coronary Heart Disease, 1456

Meta-Analysis of Survival and Relief of Angina Pectoris After Transmyocardial Revascularization, 1243

Right Ventricle

Association of Right Ventricular Dysfunction With In-Hospital Mortality in Patients With Acute Pulmonary Embolism and Reduction in Mortality in Patients With Right Ventricular Dysfunction by Pulmonary Embolectomy, 695

B-Type Natriuretic Peptide Levels in Adults With Congenital Heart Disease and Right Ventricular Failure, 545

Determination of Timing for Reoperation in Patients After Right Ventricular Outflow Reconstruction, 1344

Diagnosis of Right Ventricular Dysfunction in Acute Pulmonary Embolism Using Helical Computed Tomography, 1260

Effect of Chronic Right Ventricular Apical Pacing on Left Ventricular Function, 771

Effect on Right Ventricular Volume of Percutaneous Amplatzer Closure of Atrial Septal Defect in Adults, 993

Effects of Pulmonary Valve Replacement on QRS Duration and Right Ventricular Cavity Size Late After Repair of Right Ventricular Outflow Tract Obstruction, 1511

Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521

Minimizing Right Ventricular Pacing, 966

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Usefulness of Tissue Doppler Imaging for the Diagnosis and Prognosis of Acute Right Ventricular Infarction With Inferior Wall Acute Left Ventricular Infarction, 1039

Risk Factors

Diabetes-Related Knowledge, Atherosclerotic Risk Factor Control, and Outcomes in Acute Coronary Syndromes, 1290

Estimating Cholesterol Treatment Rates Among Individuals With Multiple Risk Factors and Without Coronary Heart Disease, 862

Impact of Multiple Cardiovascular Risk Factors on Femoral Artery Intima-Media Thickness in Asymptomatic Young Adults (The Bogalusa Heart Study), 469

Interatrial Block as a Predictor of Embolic Stroke, 667

Permanent Pacing Is a Risk Factor for the Development of Heart Failure, 671

Relation of Aortic Valve Sclerosis to Risk of Coronary Heart Disease in African-Americans, 401

Relation of Family History of Premature Coronary Heart Disease and Metabolic Risk Factors to Risk of Coronary Arterial Calcium in Asymptomatic Subjects, 655

Relation of Serum Uric Acid With Metabolic Risk Factors in Asymptomatic Middle-Aged Brazilian Men, 865

Risk Factors, Echocardiographic Patterns, and Outcomes in Patients With Acute Ventricular Septal Rupture During Myocardial Infarction, 1153

Utility of C-Reactive Protein Measurement in Risk Stratification During Primary Cardiovascular Disease Prevention, 1378

Risk Stratification

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Rosuvastatin

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Ryanodine Receptor Gene

Unusual Clinical Presentation in a Family With Catecholaminergic Polymorphic Ventricular Tachycardia Due to a G14876A Ryanodine Receptor Gene Mutation, 700

SAFARI Trial

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Safety

Safety of Perioperative Statin Use in High-Risk Patients Undergoing Major Vascular Surgery, 659

Saphenous Vein Graft

Influence of Vessel Diameter on the Efficacy of Distal Protection Devices During Saphenous Vein Graft Intervention, 651

A Novel, Low-Profile Filter-Wire (Interceptor) Embolic Protection Device During Saphenous Vein Graft Stenting, 511

Schools

Effectiveness of Automated External Defibrillators in High Schools in Greater Boston, 1484

Seasonal Variation

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Pa-

tients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Seated Exercise

Effect of a Seated Exercise Program to Improve Physical Function and Health Status in Frail Patients ≥ 70 Years of Age With Heart Failure, 1120

Septal Ablation

Effects of Varying Ethanol Dosing on Percutaneous Septal Ablation for Obstructive Hypertrophic Cardiomyopathy on Early Hemodynamic Changes, 675

Septal Defect

Echocardiographic Differentiation of Atrioventricular Septal Defects from Inlet Ventricular Septal Defects and Mitral Valve Clefts, 607

Effect of Acute Changes in Load on Left Ventricular Diastolic Function During Device Closure of Atrial Septal Defects, 686

Effect of Transcatheter Atrial Septal Defect Closure in Children on Left Ventricular Diastolic Function, 1255

Effect on Right Ventricular Volume of Percutaneous Amplatzer Closure of Atrial Septal Defect in Adults, 993

Is Operative Closure of a Small Ventricular Septal Defect Required After an Episode of Infective Endocarditis?, 960

Transcatheter Patch Occlusion of Perimembranous Ventricular Septal Defects, 1518

Septal Mitral Annulus Velocity

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E/E'), 1020

Septal Motion

Usefulness of Myocardial Perfusion Echocardiography to Identify Obstructive Coronary Artery Disease in Patients With Abnormal Ventricular Septal Motion, 852

Septal Rupture

Risk Factors, Echocardiographic Patterns, and Outcomes in Patients With Acute Ventricular Septal Rupture During Myocardial Infarction, 1153

Sexual Activity

Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327

Shane's Complex

Mitral Valve Morphology and Morbidity/Mortality in Shane's Complex, 541

SIDS. See Sudden Infant Death Syndrome

Sildenafil

Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327

Silent Myocardial Ischemia

Prevalence of Left Ventricular Diastolic Dysfunction in Obese Persons With and Without Diabetes Mellitus, 1527

Simvastatin

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Effect of Splitting Simvastatin Tablets for Control of Low-Density Lipoprotein Cholesterol, 1481

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360

Prognostic Significance of *Simvastatin* Therapy in Patients With Ischemic Heart Failure Who Underwent Percutaneous Coronary Intervention for Acute Myocardial Infarction, 619

Sirolimus

In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757

16-Slice Multidetector Row Computed Tomography. See also Computed Tomography

Ability for Visualization, Reasons for Nonassessable Image, and Diagnostic Accuracy of 16-Slice Multidetector Row Helical Computed Tomography for the Assessment of the Entire Coronary Arteries, 1076

Noninvasive Coronary Imaging and Assessment of Left Ventricular Function Using 16-Slice Computed Tomography, 571

Sleep Apnea

Left Ventricular Function in Children With Sleep-Disordered Breathing, 801

Smallpox Vaccination

Comparison of Clinical Presentation of Acute Myocarditis Following Smallpox Vaccination to Acute Coronary Syndromes in Patients < 40 Years of Age, 1252

Smoking

Safety and Effectiveness of Transdermal Nicotine Patch in Smokers Admitted With Acute Coronary Syndromes, 976

Sound Spectral Averaging

Usefulness of a New Sound Spectral Averaging Technique to Distinguish an Innocent Systolic Murmur from That of Aortic Stenosis, 902

Spaceflight

Mechanism of Spaceflight-Induced Changes in Left Ventricular Mass, 1128

ST-Segment

Absence of Seasonal Variation in Myocardial Perfusion, Enzymatic Infarct Size, and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty, 1459

Angiographic and Clinical Outcomes Associated With Direct Versus Conventional Stenting Among Patients With Fibrinolytic Therapy for ST-Elevation Acute Myocardial Infarction, 383

Association of Culpit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Comparison of Myocardial Perfusion After Successful Primary Percutaneous Coronary Intervention in Patients With ST-Elevation Myocardial Infarction With Versus Without Diabetes Mellitus, 1375

Comparison of ST-Segment Resolution With Combined Fibrinolytic and Glycoprotein IIb/IIIa Inhibitor Therapy Versus Fibrinolytic Alone (Data from Four Clinical Trials), 611

Comparison of the Usefulness of Doppler-Derived Deceleration Time Versus Plasma Brain Natriuretic Peptide to Predict Left Ventricular Remodeling After Mechanized Revascularization in Patients With ST-Elevation Acute Myocardial Infarction and Left Ventricular Systolic Dysfunction, 930

Lipid Management in Patients With Unstable Angina Pectoris and Non-ST-Segment Elevation Acute Myocardial Infarction (from CRUSADE), 483

Myocardial Salvage in Patients With Non-ST-Elevation Myocardial Infarction Determined by Myocardial Perfusion Imaging, 398

Predictors of Left-Main or Three-Vessel Disease in Patients Who Have Acute Coronary Syndromes With Non-ST-Segment Elevation, 1366

Relation Between Electrocardiographic ST-Segment Resolution and Early and Late Outcomes After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction, 343

Relation of Interhospital Delay and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Transferred for Primary Coronary Angioplasty, 1361

Relation of Timing of Cardiac Catheterization to Outcomes in Patients With Non-ST-Segment Elevation Myocardial Infarction or Unstable Angina Pectoris Enrolled in the Multinational Global Registry of Acute Coronary Events, 1397

ST-Segment Depression on the Initial Electrocardiogram in Acute Myocardial Infarction—Prognostic Significance and Its Effect on Short-Term Mortality: A Report from the National Registry of Myocardial Infarction (NMRI-2, 3, 4), 843

Statins

Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314

Do Statins Increase the Risk of Idiopathic Polyneuropathy?, 1097

Effect of Early Initiation of Statins on Survival in Patients With Acute Myocardial Infarction (theUSIC 2000 Registry), 486

Effect of Splitting *Simvastatin* Tablets for Control of Low-Density Lipoprotein Cholesterol, 1481

Effect of Statin Therapy on Risk of Ventricular Arrhythmia Among Patients With Coronary Artery Disease and an Implantable Cardioverter-Defibrillator, 490

Effectiveness and Tolerability of *Simvastatin* Plus *Fenofibrate* for Combined Hyperlipidemia (The SAFARI Trial), 462

Effectiveness of Inhibition of Cholesteryl Ester Transfer Protein by *JTT-705* in Combination With *Pravastatin* in Type II Dyslipidemia, 1085

Effects of *Atorvastatin* Versus Other Statins on Fasting and Postprandial C-Reactive Protein and Lipoprotein-Associated Phospholipase A₂ in Patients With

- Coronary Heart Disease Versus Control Subjects, 1025
- Effects of *Rosuvastatin*, *Atorvastatin*, *Simvastatin*, and *Pravastatin* on Atherogenic Dyslipidemia in Patients With Characteristics of the Metabolic Syndrome, 360
- Frequency of Myopathy in Patients Receiving *Lovastatin*, 983
- Long-Term *Fluvastatin* Reduces the Hazardous Effect of Renal Impairment on Four-Year Atherosclerotic Outcomes (a LIPS Substudy), 445
- Relation of the Use of Lipid-Lowering Medications Prior to Percutaneous Coronary Intervention to the Incidence of Intraprocedural Adverse Angiographic Events, 978
- Safety of Perioperative Statin Use in High-Risk Patients Undergoing Major Vascular Surgery, 659
- Statin Use and Risks of Death or Fatal Rejection in the Heart Transplant Lipid Registry, 367
- STELLAR Trial**
- Cost Effectiveness of *Rosuvastatin* in Treating Patients to Low-Density Lipoprotein Cholesterol Goals Compared With *Atorvastatin*, *Pravastatin*, and *Simvastatin* (a US Analysis of the STELLAR Trial), 1314
- Stenosis**
- Comparison of Accuracy of Mitral Valve Area in Mitral Stenosis by Real-Time, Three-Dimensional Echocardiography Versus Two-Dimensional Echocardiography Versus Doppler Pressure Half-Time, 1496
- Impact of Coronary Calcium Score on Diagnostic Accuracy for the Detection of Significant Coronary Stenosis With Multislice Computed Tomography Angiography, 1225
- Stent/Stenting**
- Angiographic and Clinical Outcomes Associated With Direct Versus Conventional Stenting Among Patients With Fibrinolytic Therapy for ST-Elevation Acute Myocardial Infarction, 383
- Catheter Management of Occluded Superior Baffle After Atrial Switch Procedures for Transposition of Great Vessels, 782
- Comparison of C-Reactive Protein Levels After Coronary Stenting With Bare Metal Versus Sirolimus-Eluting Stents, 748
- Comparison of C-Reactive Protein Levels Before and After Coronary Stenting and Restenosis Among Patients Treated With Sirolimus-Eluting Versus Bare Metal Stents, 1238
- Comparison of *Cilostazol* and *Clopidogrel* After Successful Coronary Stenting, 859
- Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644
- Comparison of Effectiveness of Sirolimus-Eluting Stents Versus Bare Metal Stents for Percutaneous Coronary Intervention in Patients at High Risk for Coronary Restenosis or Clinical Adverse Events, 1409
- Comparison of the Safety and Efficacy of Emboli Prevention Devices Versus Platelet Glycoprotein IIb/IIIa Inhibition During Carotid Stenting, 791
- Comparison of Thrombosis and Restenosis Risk from Stent Length of Sirolimus-Eluting Stents Versus Bare Metal Stents, 1140
- Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355
- Drug-Eluting Stents Versus Bare Metal Stents in Percutaneous Coronary Interventions (A Meta-Analysis), 1146
- Effect of *Dexamethasone*-Eluting Stents on Systemic Inflammatory Response in Patients With Unstable Angina Pectoris or Recent Myocardial Infarction Undergoing Percutaneous Coronary Intervention, 502
- Effectiveness of Transvenous Pacemaker Leads Placed Through Intravascular Stents in Patients With Congenital Heart Disease, 424
- Fate of Unprotected Side Branches as Related to Embolic Complications During Stent Implantation for Acute Coronary Syndromes Using a Distal Protection Procedure, 636
- Impact of Body Mass Index on the Outcome of Patients With Multivessel Disease Randomized to Either Coronary Artery Bypass Grafting or Stenting in the ARTS Trial: The Obesity Paradox II?, 439
- Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709
- In-Hospital and Long-Term Outcomes of Multivessel Percutaneous Coronary Revascularization After Acute Myocardial Infarction, 349
- In-Hospital and Nine-Month Outcome of Treatment of Coronary Bifurcational Lesions With Sirolimus-Eluting Stent, 757
- Incidence and Predictors of Target Vessel Revascularization and Clinical Events Rates of the Sirolimus-Eluting Coronary Stent (Results from the Prospective Multicenter German Cypher Stent Registry), 1302
- Influence of Stent Length to Lesion Length Ratio on Angiographic and Clinical Outcomes After Implantation of Bare Metal and Drug-Eluting Stents (the TAXUS-IV Study), 1043
- Intravascular Ultrasound Assessment of Lesions With Target Vessel Failure After Sirolimus-Eluting Stent Implantation, 498
- Intravascular Ultrasound Stent Area of Sirolimus-Eluting Stents and Its Impact on Late Outcome, 1240
- Meta-Analysis Comparing Drug-Eluting Stents With Bare Metal Stents, 640
- A Novel, Low-Profile Filter-Wire (Interceptor) Embolic Protection Device During Saphenous Vein Graft Stenting, 511
- A Novel Mechanism Explaining Early Lumen Loss Following Balloon Angioplasty for the Treatment of In-Stent Restenosis, 751
- Preprocedural Plasma C-Reactive Protein Levels, Postprocedural Creatine Kinase-MB Release, and Long-Term Prognosis After Successful Coronary Stenting (Four-Year Results from the GENERATION Study), 386
- Rapid Desensitization Procedure for Patients With *Aspirin* Hypersensitivity Undergoing Coronary Stenting, 509
- Risk of Thrombosis With the Use of Sirolimus-Eluting Stents for Percutaneous Coronary Intervention (from Registry and Clinical Trail Data), 1469
- Risks of Noncardiac Surgery After Coronary Stenting, 755
- Safety of Coronary Stenting With *Eptifibatid* and Ultra-Low-Dose *Heparin*, 630
- Success, Safety, and Mechanisms of Failure of Percutaneous Coronary Intervention for Occlusive Non-Drug-Eluting In-stent Restenosis Versus Native Artery Total Occlusion, 1462
- Validation of Predictors of Intraprocedural Stent Thrombosis in the Drug-Eluting Stent Era, 1466
- Stress**
- Comparison of Mental Stress-Induced Myocardial Ischemia in Coronary Artery Disease Patients With Versus Without Left Ventricular Dysfunction, 322
- Long-Term Effects of Stress Reduction on Mortality in Persons ≥ 55 Years of Age With Systemic Hypertension, 1060
- Stress Echocardiography**
- Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072
- Stress Testing**
- Utility of Cardiopulmonary Stress Testing in Assessing Disease Severity in Children With Pulmonary Arterial Hypertension, 697
- Stroke**
- Interatrial Block as a Predictor of Embolic Stroke, 667
- Relation of Interleukin-6 Levels and Prothrombin Fragment 1+2 to a Point-Based Score for Stroke Risk in Atrial Fibrillation, 881
- Sudden Death. See also Mortality**
- A Comparison of Death Certificate Out-of-Hospital Coronary Heart Disease Death With Physician-Adjudicated Sudden Cardiac Death, 857
- Effectiveness of Automated External Defibrillators in High Schools in Greater Boston, 1484
- Sudden Infant Death Syndrome**
- Mutations in the HERG K⁺-Ion Channel: A Novel Link Between Long QT Syndrome and Sudden Infant Death Syndrome, 433
- Superior Baffle**
- Catheter Management of Occluded Superior Baffle After Atrial Switch Procedures for Transposition of Great Vessels, 782
- Surgery**
- Determination of Timing for Reoperation in Patients After Right Ventricular Outflow Reconstruction, 1344
- Early and Late Results of Isolated and Combined Heart Valve Surgery in Patients ≥ 80 Years of Age, 1500
- Is Operative Closure of a Small Ventricular Septal Defect Required After an Episode of Infective Endocarditis?, 960
- Outcomes Following Elective Percutaneous Coronary Intervention Without On-Site Surgical Backup in a Community Hospital, 1091
- Risks of Noncardiac Surgery After Coronary Stenting, 755

Safety of Perioperative Statin Use in High-Risk Patients Undergoing Major Vascular Surgery, 659

Survival. See also Mortality; Outcomes; Prognosis

Effect of Beta-Blocker Therapy on Mortality Rates and Future Myocardial Infarction Rates in Patients With Coronary Artery Disease But No History of Myocardial Infarction or Congestive Heart Failure, 827

Effect of Early Initiation of Statins on Survival in Patients With Acute Myocardial Infarction (the USIC 2000 Registry), 486

Meta-Analysis of Survival and Relief of Angina Pectoris After Transmyocardial Revascularization, 1243

Validation of Peak Exercise Oxygen Consumption and the Heart Failure Survival Score for Serial Risk Stratification in Advanced Heart Failure, 734

Syncope

Direct Medical Costs of Syncope-Related Hospitalizations in the United States, 668

Effect of Syncope-Related Traumatic Injuries on the Diagnostic Evaluation and Syncope Recurrence of Patients With Syncope and Apparently Normal Hearts, 1101

Usefulness of Prolonged QRS Duration to Identify High-Risk Ischemic Cardiomyopathy Patients With Syncope and Inducible Ventricular Tachycardia, 391

Syndrome X

Brachial Artery Flow-Mediated Dilation and Myocardial Perfusion in Patients With Cardiac Syndrome X, 1478

Systemic Lupus Erythematosus

Valvular Heart Disease as a Cause of Cerebrovascular Disease in Patients with Systemic Lupus Erythematosus, 1441

Systolic Function

Effect of Exercise Training on VO_{2peak} and Left Ventricular Systolic Function in Recent Cardiac Transplant Recipients, 1002

Effectiveness of Echocardiographic Imaging by Nurses to Identify Left Ventricular Systolic Dysfunction in High-Risk Patients, 1271

A New Simple Method to Assess Global Left Ventricular Systolic Function Based on the Sum of Regional Myocardial Infarction, 550

Regional Differences in Systolic and Diastolic Function in Arrhythmogenic Right Ventricular Dysplasia/Cardiomyopathy Using Magnetic Resonance Imaging, 1507

Usefulness of Plasma Brain-Type Natriuretic Peptide Level to Differentiate Left Ventricular Diastolic Dysfunction from Preserved Diastolic Function in Patients With Systolic Dysfunction, 1383

Systolic Murmurs

Usefulness of a New Sound Spectral Averaging Technique to Distinguish an Innocent Systolic Murmur from That of Aortic Stenosis, 902

T Waves

Prevalence of T-Wave Inversion Beyond V_1 in Young Normal Individuals and Usefulness for the Diagnosis of Arrhythmogenic Right Ventricular Cardiomyopathy/Dysplasia, 1070

Tachycardia

Electrophysiologic Characteristics of Verapamil-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

Unusual Clinical Presentation in a Family With Catecholaminergic Polymorphic Ventricular Tachycardia Due to a G14876A Ryanodine Receptor Gene Mutation, 700

Usefulness of Electroanatomical Mapping to Differentiate Between Right Ventricular Outflow Tract Tachycardia and Arrhythmogenic Right Ventricular Dysplasia, 935

TAXUS-IV Trial

Impact of Obesity on Revascularization and Restenosis Rates After Bare-Metal and Drug-Eluting Stent Implantation (from the TAXUS-IV Trial), 709

Influence of Stent Length to Lesion Length Ratio on Angiographic and Clinical Outcomes After Implantation of Bare Metal and Drug-Eluting Stents (the TAXUS-IV Study), 1043

Technetium-99m Sestamibi Gated-SPECT

Prognostic Value of Combined Perfusion and Function by Stress Technetium-99m Sestamibi Gated SPECT Myocardial Perfusion Imaging in Patients with Suspected or Known Coronary Artery Disease, 1351

Technetium-99m-Tetrofosmin

Myocardial Technetium-99m-Tetrofosmin Compared With 18F-Fluorodeoxyglucose Imaging to Assess Myocardial Viability, 1223

Teenagers. See Pediatrics

Telmisartan

Comparison of the Effects of *Ramipril* Versus *Telmisartan* in Reducing Serum Levels of High-Sensitivity C-Reactive Protein and Oxidized Low-Density Lipoprotein Cholesterol in Patients With Type 2 Diabetes Mellitus, 1386

Temperature

Prognostic Usefulness of White Blood Cell Count and Temperature in Acute Myocardial Infarction (from the CARDINAL Trial), 614

Tetralogy of Fallot

Optimal Timing for Pulmonary Valve Replacement in Adults After Tetralogy of Fallot Repair, 779

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Thallium-201 Perfusion Defect

Circulating Levels of Heart-Type Fatty Acid-Binding Protein and Its Relation to Thallium-201 Perfusion Defects in Patients With Hypertrophic Cardiomyopathy, 1334

Three-Vessel Disease

Predictors of Left-Main or Three-Vessel Disease in Patients Who Have Acute Coronary Syndromes With Non-ST-Segment Elevation, 1366

Thrombocytopenia

Incidence of Antiplatelet Factor 4/*Heparin* Antibody Induction in Patients Undergoing Percutaneous Coronary Revascularization, 744

Thrombolytics

Comparison of ST-Segment Resolution With Combined Fibrinolytic and Glycoprotein IIb/IIIa Inhibitor Therapy Versus Fibrinolytic Alone (Data from Four Clinical Trials), 611

Long-Term Benefits of *Monteplase* Before Coronary Angioplasty in Acute Myocardial Infarction, 506

Thrombosis

Comparison of Thrombosis and Restenosis Risk from Stent Length of Sirolimus-Eluting Stents Versus Bare Metal Stents, 1140

Risk of Thrombosis With the Use of Sirolimus-Eluting Stents for Percutaneous Coronary Intervention (from Registry and Clinical Trial Data), 1469

Trends in the Incidence of Pulmonary Embolism and Deep Venous Thrombosis in Hospitalized Patients, 1525

Validation of Predictors of Intraprocedural Stent Thrombosis in the Drug-Eluting Stent Era, 1466

TIMI Flow Grade

Association of Culprit Lesion Calcium With Angiographic and Clinical Outcomes in Patients With ST-Elevation Myocardial Infarction Treated With Fibrinolytic Therapy, 337

Tirofiban

Comparison of *Enoxaprin* Versus *Heparin* During Elective Percutaneous Coronary Intervention Performed With Either *Eptifibatide* or *Tirofiban* (The ACTION Trial), 1295

Tissue Doppler Imaging. See Doppler

Tissue Tracking Imaging. See Ultrasound

Tobacco

Safety and Effectiveness of Transdermal Nicotine Patch in Smokers Admitted With Acute Coronary Syndromes, 976

Transcatheter Atrial Septal Defect Closure

Effect of Transcatheter Atrial Septal Defect Closure in Children on Left Ventricular Diastolic Function, 1255

Transcatheter Patch

Transcatheter Patch Occlusion of Perimembranous Ventricular Septal Defects, 1518

Transesophageal Echocardiography. See also Echocardiography

Comparison of Tissue Doppler Dynamics to Doppler Flow in Evaluating Left Atrial Appendage Function by Transesophageal Echocardiography, 1011

Comparison of Transesophageal Echocardiographic Identification of Embolic Risk Markers in Patients With Lone Versus Non-Lone Atrial Fibrillation, 593

Transmitral Early Peak Velocity

Effects of Age, Gender, and Left Ventricular Mass on Septal Mitral Annulus Velocity (E') and the Ratio of Transmitral Early Peak Velocity to E' (E/E'), 1020

Transplantation. See Heart Transplantation

Transposition

Usefulness of Multidetector Row Computed Tomography to Quantify Right Ventricular Size and Function in Adults With Either Tetralogy of Fallot or Transposition of the Great Arteries, 683

Traumatic Injury

Effect of Syncope-Related Traumatic Injuries on the Diagnostic Evaluation and Syncope Recurrence of Patients With Syncope and Apparently Normal Hearts, 1101

Trends

Trends in Mortality Attributed to Heart Failure in Worcester, Massachusetts, 1992 to 2001, 1324

Trends in the Incidence of Pulmonary Embolism and Deep Venous Thrombosis in Hospitalized Patients, 1525

Triglycerides

Comparison of the Relation of Triglyceride-Rich Lipoproteins and Muscular Artery Compliance in Healthy Women Versus Healthy Men, 1049

Predictors of Low-Density Lipoprotein Particle Size in a High-Risk African-American Population, 1320

Triiodothyronine

Effect of Triiodothyronine on Gene Transcription During Cardiopulmonary Bypass in Infants With Ventricular Septal Defect, 787

Trimetazidine

Comparison of *Trimetazidine* Plus *Sildenafil* to Chronic Nitrates in the Control of Myocardial Ischemia During Sexual Activity in Patients With Coronary Artery Disease, 327

Troponin-I

Effect of Both Elevated Troponin-I and Peripheral White Blood Cell Count on Prognosis in Patients With Suspected Myocardial Injury, 970

Tumor Necrosis Factor

Effect of Noradrenaline and *Isoproterenol* on Lipopolysaccharide-Induced Tumor Necrosis Factor-Alpha Production in Whole Blood from Patients With Chronic Heart Failure and the Role of Beta-Adrenergic Receptors, 885

Ulnar Artery

Effectiveness of Ulnar Artery Catheterization After Failed Attempt to Cannulate a Radial Artery, 1529

Ultrasonic Measurement

Ultrasonic Biophysical Measurements in the Normal Human Fetus for Optimal Design of the Monolithic Fetal Pacemaker, 1267

Ultrasound. See also Echocardiography

Comparison of Early Outcome of Percutaneous Coronary Intervention for Unprotected Left Main Coronary Artery Disease in the Drug-Eluting Stent Era With Versus Without Intravascular Ultrasonic Guidance, 644

Creatine Kinase-MB Enzyme Elevation and Long-Term Clinical Events After Successful Coronary Stenting in Lesions With Ruptured Plaque, 355

Intravascular Ultrasound Assessment of Lesions With

Target Vessel Failure After Sirolimus-Eluting Stent Implantation, 498

Intravascular Ultrasound Stent Area of Sirolimus-Eluting Stents and Its Impact on Late Outcome, 1240

A Novel Mechanism Explaining Early Lumen Loss Following Balloon Angioplasty for the Treatment of In-Stent Restenosis, 751

Tissue Tracking Imaging as a New Modality for Identifying the Origin of Idiopathic Ventricular Arrhythmias, 660

Uric Acid

Relation of Serum Uric Acid With Metabolic Risk Factors in Asymptomatic Middle-Aged Brazilian Men, 865

Urine

Urinary 8-Hydroxy-2'-Deoxyguanosine Levels Increase After Reperfusion in Acute Myocardial Infarction and May Predict Subsequent Cardiac Events, 514

USIC 2000 Registry

Effect of Early Initiation of Statins on Survival in Patients With Acute Myocardial Infarction (the USIC 2000 Registry), 486

Vaccination

Comparison of Clinical Presentation of Acute Myocarditis Following Smallpox Vaccination to Acute Coronary Syndromes in Patients <40 Years of Age, 1252

Valsartan Heart Failure Trial

Comparison of Treatment Benefit and Outcome in Women Versus Men With Chronic Heart Failure (from the Valsartan Heart Failure Trial), 529

Valve Surgery

Early and Late Results of Isolated and Combined Heart Valve Surgery in Patients ≥ 80 Years of Age, 1500

Valvular Heart Disease

Valvular Heart Disease as a Cause of Cerebrovascular Disease in Patients with Systemic Lupus Erythematosus, 1441

Vascular Compliance

Comparison of the Relation of Triglyceride-Rich Lipoproteins and Muscular Artery Compliance in Healthy Women Versus Healthy Men, 1049

Vasopeptidase Inhibition

Antianginal Efficacy of *Omapatrilat* in Patients With Chronic Angina Pectoris, 1283

Velocity of Propagation

Comparison of Tissue Doppler and Propagation Velocity to Invasive Measures for Measuring Left Ventricular Filling Pressures, 1017

Venous Obstruction

Effectiveness of Transvenous Pacemaker Leads Placed Through Intravascular Stents in Patients With Congenital Heart Disease, 424

Ventricular Function

Usefulness of Exercise-Induced Changes in Plasma Levels of Brain Natriuretic Peptide in Predicting Right Ventricular Contractile Reserve After Repair of Tetralogy of Fallot, 1338

Usefulness of Plasma B-Type Natriuretic Peptide to Identify Ventricular Dysfunction in Pediatric and Adult Patients With Congenital Heart Disease, 474

Ventricular Mass

Mechanism of Spaceflight-Induced Changes in Left Ventricular Mass, 1128

Ventricular Outflow Obstruction

Effects of Pulmonary Valve Replacement on QRS Duration and Right Ventricular Cavity Size Late After Repair of Right Ventricular Outflow Tract Obstruction, 1511

Ventricular Tachyarrhythmias

Effect of Cardiac Resynchronization Therapy on Inducibility of Ventricular Tachyarrhythmias in Cardiac Arrest Survivors With Either Ischemic or Idiopathic Dilated Cardiomyopathy, 1111

Verapamil

Electrophysiologic Characteristics of *Verapamil*-Sensitive Atrial Tachycardia Originating from the Atrioventricular Annulus, 1425

VO₂ Peak

Effect of Exercise Training on VO_{2peak} and Left Ventricular Systolic Function in Recent Cardiac Transplant Recipients, 1002

Volumes

Comparison of Left Ventricular Volumes and Ejection Fractions Measured by Three-Dimensional Echocardiography Versus by Two-Dimensional Echocardiography and Cardiac Magnetic Resonance in Patients With Various Cardiomyopathies, 809

Wall Stress

Determination of Timing for Reoperation in Patients After Right Ventricular Outflow Reconstruction, 1344

Relation of Echocardiographic Left Ventricular Mass, Geometry and Wall Stress, and Left Atrial Dimension to Coronary Calcium in Young Adults (The CARDIA Study), 626

Weight Loss. See also Obesity

Effects of Weight Loss After Gastric Bypass on Right and Left Ventricular Function Assessed by Tissue Doppler Imaging, 1521

White Blood Cell Count

Effect of Both Elevated Troponin-I and Peripheral White Blood Cell Count on Prognosis in Patients With Suspected Myocardial Injury, 970

Prognostic Usefulness of White Blood Cell Count and Temperature in Acute Myocardial Infarction (from the CARDINAL Trial), 614

Usefulness of Relative Lymphocyte Count as an Independent Predictor of Death/Urgent Transplant in Heart Failure, 1492

Women. See also Gender

Comparison of All-Cause Mortality in Women With Known or Suspected Coronary Artery Disease Referred for *Dobutamine* Stress Echocardiography With Normal Versus Abnormal Test Results, 1072

Comparison of Treatment Benefit and Outcome in Women Versus Men With Chronic Heart Failure (from the Valsartan Heart Failure Trial), 529

Young Adults. See Pediatrics